41.00.	IONIOEVV	ED WELL		R WELL RECORD		KSA 82a-1		mbor	Panga Number	٦
	ION OF WATI	ER WELL: enwood		SE ½	NW 1/4 Sect	tion Number	Township Nur	mber S	Range Number	_
County: Distance ar			t town or city street ad	dress of well if local	ted within city?				K 12 C	
2 14/4755	NA/ELL OVA/NI	-D. Kar	sas Departmen		n, Madison, KS					+
			0 SW Jackson S		u Liiviioiiiii	BIIL	Deard of Acrieu	iltura Divinia	n of Water Resources	
			eka, KS 66612-				Application Num	•	ITO Water Resources	1
	E WELL'S LO		ITH .							1
	IN SECTION E		DEPTH OF C	OMPLETED WELL	. 25	ft. ELE	/ATION:	108	4.16	_
	N		Depth(s) Ground	water Encountered	11.5 9	ft	. 2	ft. 3	Ft.	OFFICE
†	i	i	WELL'S STATIC	WATER LEVEL .	10.49 ft.	below land s	urface measured or	n mo/day/yr	06/02/11	. ☆
	iw	NE							pingGpm	
	!	i i							nping Gpm	#
y w L	×	<u> </u>	E Bore Hole Diame	ter 8.625 In.	to 25	5	ft. and	in. to	Ft.	
ī			WELL WATER T	O BE USED AS:	5 Public water su	yply	8 Air condition	ing 11 I	njection well Other (Specify below)	=
·	SW	SĒ	1 Domestic							1
 		i	2 Irrigation				c) 10 Monitoring			-
` L	S	 	Was a chemical/l	pacteriological sam	ple submitted to [Yes No X ter Well Disinfected		o/day/yr sample was No X	
5 TYPE O	F BLANK CA	SING USE		5 Wrought Iron	8 Concre				Clamped	1
1 St				6 Asbestos-Cer				Welded		1
2 PV		7 4 A	, ,	7 Fiberglass					a X	1
				Ft		•				-
Blank casin	ng diameter	2	in. to 10	Dia	In. t	0	ft., Dia	in.	toft.	Ì
Casing heig	ght above land	surface	FLUSH	In., weight	SCH 40	Lbs./ft.	Wall thickness or g	gauge No.		_
TYPE OF S	SCREEN OR F	PERFORA	TION MATERIAL:		7	PVC	10 Asbes			
1 Ste	eel	3 St	ainless steel	5 Fiberglass	8	RMP (SR)	11 Other			-
2 Bra			alvanized steel	6 Concrete tile				used (open I	•	
		HON OPE	NINGS ARE:		auzed wrapped			11	None (open hole)	
	intinuous slot	_	3 Mill slot		/ire wrapped		9 Drilled holes	A		
	uvered shutte		4 Key punched		orch cut					
SCREEN-P	PERFORATED	INTERVA		10 11. 10	23	II. F	rom	tt. to	ft.	
CAI			From	Q # 45	25	II. F	rom	ft to	Ft.	· 70
SAI	ND PACK INT	EKVALS:								
6 000117			From		0.0		rom			7
				Et	Et					i
Grout Interv	als From2	0.5	ft. to 7	From3	7 to	9	ft. From		ft. toft.	
			ole contamination:			10 Livest			oned water well	
1 Se	ptic tank		4 Lateral lines	7 Pit p	rivy	11 Fuels	storage	15 Oil we	II/ Gas well	╛
2 Se	2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							(specify below)		
3 Wa	atertight sewer	r lines	6 Seepage pit	9 Feed	dyard	13 Insect	ticide storage	Cont	aminated Site	
Direction fro	m well?	,				How many	feet?			_
FROM	ТО	CODE		OGIC LOG	FROM	ТО	PLUC	GGING INTE	RVALS	
0	0.25		Concrete (4")							_
0.25	21	ļ	Silty Clay							-
21 25	25 TD		Sandy Clay End of Borehol			1				-
	10		Lilu of Borellon							1
	 		 							7
]
										_
	_			* * #**						4
										-
		-			 					-
	ļ		_					,		1
						1				1
			NER'S CERTIFICATION							1
Completed (on (mo/day/yr	·)	06/02	2/11	And thi	is record is tr	rue to the best of my	y knowledge	and belief. Kansas	
				585	This W	ater Well Re	cord was completed	d on (mo/day	/yr) 06/13/11	_
under the bu	usiness name	of	Associate	ed Environme	ntal, Inc.	B	v (signature) Bra	dley 🚜	onnson	4
INSTRI	UCTIONS: Ple	ease fill in b	anks and circle the corre 913-296-5545. Send o	ect answers. Send th	ree copies to Kansa OWNER and retain	as Departmen	t of Health and Environments.	paper Butes	r of Water, Topeka,	
r\dii585	3 UUUZU-UUU I.	, cicpitone.	5 10-200-0040. SENG 0	IN IO TEAT LIT WELL	CTTTELL BILL ICIAII	, or to for your				_1