1			W	ATER WELL REC	CORD For	m WWC-5	KSA 82a-12	212	
	ION OF WATE						tion Number	Township Number	Range Number
			SE				18	T 22 S	R 12
Distance a	nd direction fro	om neares	t town or city street	address of well 127			s		
2 WATER	WELL OWN	R: Ka	nsas Departm						
			0 SW Jackso					Board of Agriculture.	Division of Water Resources
City State	7ID Codo	· To	neka KS 6661	2-1367				Application Number:	
3 LOCATI	E WELL'S LO	CATON V	/ITH 4 DEPTH O	E 001101 ETED		25	4 5 5	ATION:	1088.60
AN -X. I	N SECTION E	BOX:	Depth(s) Grou	Induster Encou	WELL ntorod 11 5	25	π. ELEV	ATION:	t. 3Ft
А Г				indwater Lincou	illered i i.o_			4 '	· · · · · · · · · · · · · · · · · · ·
WELL'S STATIC WATER LEVEL 15.03 ft. below land surface measured on mo/day/yr 06/02 Pump test data: Well water was Ft. after hours pumping									
	INVV	NE							
₩ W	_ xL	- 1	ESI. TIEID	Gpm:	5 in to	was		t and	urs pumpingGpm
Bore Hole Diameter 8.625 In. to 25 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Spec									11 Injection well
.	sw	_ SE	1 Dome	stic 3 Feed lo	ot 6 Oil	field water	supply	9 Dewatering	12 Other (Specify below)
1 1		-) 10 Monitoring well	
Y L	!	<u> </u>	Was a chemic	al/bacteriologic	al sample su	bmitted to [Department?	Yes No X If	yes, mo/day/yr sample was
	5		Submitted					er Well Disinfected? Ye	
5 TYPE C	F BLANK CA	SING USE	D:	5 Wrough	ht Iron	8 Concre			Glued Clamped
1 St	eel	3 R	MP (SR)	6 Asbest	os-Cement	9 Other	(specify below	v)V	Velded
2 PV	/C	1 4 A		7 Fibergl	ass			Т	hreaded X
				Ft.,					
Blank casin	ig diameter	2.	in. to	10 Dia		In. t	0	_ft., Dia	in. to ft.
Casing heig	ght above land	surface	FLUSH	In., weight	SC	H 40	Lbs./ft.	Wall thickness or gauge	in. to ft.
TIPE OF S	CKEEN OK I	LKLOK	HON WATERIAL.			,	PVC	TO ASDESIOS-CO	ement
1 Ste		3 S	ainless steel alvanized steel	5 Fibergla		8	RMP (SR)	11 Other (spec	ify)(open hole)
2 Bra			elvanized steel ENINGS ARE:						(open noie) 11 None (open hole)
	ntinuous slot		3 Mill slot		6 Wire w			9 Drilled holes	Tr None (open nois)
			4 Key punched		7 Torch o				
	ERFORATED				ft. to	25	ft. Fr	rom	ft. toft.
	*								ft. toFt
SA	ND PACK INT	ERVALS:	From	9 1	ft. to	25	ft. Fr	rom	ft. toFt
			From		ft. to				ft. to Ft
6 GROUT	MATERIAL:	1 N	eat cement	2 Cement gro	ut	3 Ben	tonite	4 Other	
				₽t		Ft			
				From3	!	to	9	ft. From	ft. toft.
		e of poss	ble contamination:		Ditaria			ock pens 14	
	ptic tank		4 Lateral line		Pit privy		11 Fuel st		Oil well/ Gas well
	wer lines		5 Cess pool		Sewage la	_	12 Fertiliz	_	Other (specify below)
	atertight sewer	lines	6 Seepage p	oit 9	Feedyard				Contaminated Site
Direction fro	T	CODE	LITII	01 0010 1 00	· ·	55014	How many f		G INTERVALS
FROM 0	1.5	CODE		OLOGIC LOG		FROM	10	PLUGGING	3 INTERVALS
1.5	20	CL	Topsoil Silty Clay						
20	25		Silty Clay						
25	TD		End of Boreh	ole					
			·						

						``.			
									under my jurisdiction and w
Completed	on (mo/day/yr)). 	06	/02/11		And th	s record is tru	ue to the best of my know	wledge and belief. Kansas
Vater Well	Contractor's L	icense No		585		This W	ater Well Red	cord was completed on (mo/day/yr) 06/20/11
inder the bi	usiness name	of	Associ	ated Enviro	onmental	l, Inc.	· By	(signature) Bradley	/ J. Johnson
INSTR	UCTIONS:. Ple	ease fill in b	lanks and circle the c 913-296-5545. Ser	orrect answers.	Send three co	pies to Kans	as Department	of Health and Environment	t, Bureau of Water, Topeka,
Nansas	00020-0001.	i cichi ione	010-400-0040. Ser	IN OTHE TO WATER	AAFFF OAAM	LIX and retail	i one for your r	ccorus.	