								2	Plug	ging	light	
1 LOCATI	ONLOE WA	TED WELL.		NATER WELL	RECORD F	Form WWC-5		2a-1212		2	$n\omega$ -5	
1 LOCATION OF WATER WELL: Fraction County: GRRRWOOD SWY							tion Number		lumber 2 S	1 7	Number	
					1/4 1/4 f well if located	within city?	10	1 -	5	R /	(E/W	
2.012.100 4			4TH 31	nain	MADIS	m rs						
2 WATER	R WELL OW	MED: N	uphy O		MADIS	m, Ds						
-	Address, Box		A A'	4				Board of	Agriculturo [Division of W	ater Resources	
	, ZIP Code		PG BOW 19						n Number:	DIVISION OF W	aler nesources	
		OCATION WI	THA DEDTH	S 6080		15.5	4 FIF	/ATION:				
AN "X"	IN SECTIO	N BOX:										
Ī	- NW	- NF		TATIC WATER	LEVEL E	3.9 ft. b	elow land s	surface measured or	n mo/day/yr	6/22		
	1	1	i	-				after	•		٠, ١	
¥ W X	-							., and		to		
Σ .			1		OED AS:WAS			•	•	Injection well		
-	_ sw	SE	1 Dom					9 Dewatering	M\12	Other (Specif	fy below)	
	1		2 Irriga					Monitoring wel				
l <u> </u>	1		1	mical/bacteriolo	gical sample su	ibmitted to D		YesNo			ample was sub	
			mitted		The state of the s			Vater Well Disinfecte		No.	<u> </u>	
		CASING USE			ight iron	8 Concre					mped i	
1 Ste		3 RMP	(SR)		stos-Cement		(specify be	·				
(2)PV		4 ABS		7 Fiber	-							
	•		~~	(ft., Dia				
9			emove		ght			s./ft. Wall thickness				
			TION MATERIA		· .	7 PV	-		estos-ceme			
1 Steel 3 Stainless steel 5 Fiberglas							IP (SR)	11 Other (specify)				
2 Brass 4 Galvanized steel 6 Concrete tile										12 None used (open hole)		
		RATION OPE				d wrapped		8 Saw cut		11 None (o	pen hole)	
	ntinuous slo		Mill slot		6 Wire w	• •		9 Drilled holes				
	uvered shutt		Key punched		7 Torch			10 Other (specif			1	
SCREEN-F	PERFORATI	ED INTERVAL						rom				
_		o===						rom				
G	HAVEL PA	CK INTERVA	_				,	rom				
1 00011			From		ft. to		ft., F		ftte		ft.	
_	MATERIAL		at cement	2 Cemer				4 Other				
Grout Inter		_			From	π.		ft., From				
What is the nearest source of possible contamination:					7 Discontinu			estock pens	14 Abandoned water well			
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool					7 Pit privy			el storage	15 Oil well/Gas well			
	wer lines		•					Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit								ecticide storage				
Direction for FROM	TO TO		LITHOL	OGIC LOG		FROM	TO TO	nany feet?	LUGGING II	MTEDWALE		
264		PAND	LITHOLI	odio Lod		25.5	20		(A / I	123		
Part P	20	الماليج				20	3	Sand.	7.5	1/2/	,3)	
000						3	Ö	1 contone		10.04	12 - 10 -	
			111 - 1111			 		compaction	xuya	C/ 200	25 clay	
						-				(/1/+/		
								1				
										The same of the control of the contr		
						-						
-						 						
	-			- L. 1. 74								
											-	
						 		-				
											<u></u>	
						L	L	1				
				ICATION: This				constructed, or 🚳			i i	
1		/year) . 	-					cord is true to the be	est of my kno	owledge and	belief. Kansas	
ı		s License No.	2005		This Water We	II Record wa	•	d on (mo/day/yr) .	0/2	41.75		
under the I	business na	me of	U				by (sigr	nature)	den The	(·		
								cle the correct answers. S OWNER and retain one for			Department	