WATER	WELL I	RECORD	Form WWC-5	Division of Wa				
		VATER WELL: offey	I CTF // CTF // CT	7 1/ 29	Т	22 S	Range Number R 14 E	
Distance and direction from nearest town or city street address of well if located within city? 627 Main St. Gridley, KS 66852 Global Positioning System (decimal degrees, min. of 4 digits) Latitude: 38.09881°								
located wit	hin city? 62	7 Main St. Gridley	y, KS 00832	Longitude	: 95.88597°			
2 WATER WELL OWNER: KDHE					Elevation: RIM: 1134.18; TOC: 1133.80			
RR#, St. Address, Box # : 1000 SW Jackson, Suite 410					Datum: NAVD88 Data Collection Method: legal survey			
City, St	ate, ZIP Co	de : Topek	a, KS 66612					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 13.54 ft. MW5								
LOCA'		Describe (a) Constant	ndviotor Engaintered	1VI W 5	ft 2	ft. 3	ft.	
	AN "X" IN ON BOX:	Depth(s) Grou	ndwater Encountered TIC WATER LEVEL 4.	72 ft below la	nd surface me	easured on mo/o	lay/yr 9/5/13	
SECII	N BOX:	Pum	in test data: Well water wa	s It.	arter	nours pump	mg gpm [
		Est Vield	gpm: Well water wa	ıs ft.	after	hours pump	ıng gpm	
NW	NE	WELL WATE	R TO BE USED AS: 5 Pu	iblic water supply	8 Air conc	muoning 11 I	njection wen	
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW - SE -								
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X								
	S	Sample was si	ubmitted		water wen D	isimected: 1 c.	S INO A	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X								
1 Stee	el 3	RMP (SR) 6	Asbestos-Cement 9	Other (specify be	elow)	Weid	eu ded V	
(2)PV	C 4	ABS 7	Fiberglass		ft Die	in	to ft	
Blank casing diameter 2 in. to 3 tt., Dia in. to Tt., Dia in. to the /ft Wall thickness or gauge No								
Casing height below land surface 0.38 tt., Weight 108./Tt. Wall unckness of gauge No.								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.38 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open note)								
SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 3 ft. to 13.54 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 2 ft. to 13.85 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.								
SCREEN-	PERFORA'	TED INTERVALS	S: From 3 f	it. to 13.54	ft. From	ft.	to ft.	
BOIGE.	LIG OIGI		From	t. to	ft. From	ft.	toft.	
GR.	AVEL PAC	K INTERVALS:	From 2	t. to 13.85	ft. From	ft.	to ft.	
			From	t. to	ft. From	ft.	to tt.	
16 CDAIT MATERIAL. Neat cement / Cement group to behavior to the concrete, v-it								
Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. From ft. To ft. From ft. To ft. From ft. To ft. To ft. From ft. To ft								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Coss poor 8 Bewage lagoon 13 tues storage								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? E-NE 12 Fertilizer storage 15 Oil well/ gas well How many feet? ~175ft								
				FROM TO		LUGGING IN	CERVALS	
FROM	TO 12.95		OLOGIC LOG	TROW 10	1.	BOOGH (G II)		
12.95		Brown silty clay Limestone bedro	alz					
13.85	13.85	Limestone beard	CK		-			
					Flushmour	at waiver from	BOW	
				7 (7)	1		two and com (2) color= 3	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) constructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/4/13 and this record is true to the best of my knowledge and belief.								
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 10/1/13								
under the h	usiness name	of Larsen & As	ssociates, Inc.	oy (signature)			•	
INSTRUCT	IONS: Please	fill in blanks or circle	the correct answers. Send top the	ee copies to Kansas I	Department of He	Ath and Environm	ent, Bureau of Water,	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Hearth and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.								
Lyour records	. 1.00 01 33.00	TOT CACH CONSTRUCTED V	TOTAL TIDE GO OF THE PART IT IT IT THE CONTROL			138	VCA 90c 101	