


1 LOCATION OF WATER WELL: County: Coffey		Fraction SE 1/4 SW 1/4 NW 1/4	Section Number 13	Township Number T 22 S	Range Number R 14 EW																																																																																																
Distance and direction from nearest town or city street address of well if located within city? 3 miles south and 5 west of Burlington, KS, 1/2 South																																																																																																					
2 WATER WELL OWNER: Bill Erbe RR#, St. Address, Box #: RR #1, Box 133 City, State, ZIP Code: Gridley, Kansas 66852 Board of Agriculture, Division of Water Resources Application Number:																																																																																																					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: 155 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 138 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL n/a ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield 1 1/2 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 9 in. to 155 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No..... X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No																																																																																																			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued.....Clamped..... 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded..... 7 Fiberglass Threaded..... Blank casing diameter 6 in. to 115 ft. Dia. in. to ft. Dia. in. to ft. Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. 40 Schedule TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 115 ft. to 155 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 155 ft. From ft. to ft. From ft. to ft. From ft. to ft.																																																																																																					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other..... Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? Northwest How many feet? 150																																																																																																					
<table border="1"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>2</td><td>Top Soil</td><td>137</td><td>138</td><td>Shale</td></tr><tr><td>2</td><td>18</td><td>Yellow Clay</td><td>138</td><td>155</td><td>Lime w/some Sand</td></tr><tr><td>18</td><td>33</td><td>Gray Shale</td><td></td><td></td><td></td></tr><tr><td>33</td><td>45</td><td>Lime</td><td></td><td></td><td></td></tr><tr><td>45</td><td>57</td><td>Shale</td><td></td><td></td><td></td></tr><tr><td>57</td><td>59</td><td>Lime</td><td></td><td></td><td></td></tr><tr><td>59</td><td>60</td><td>Shale</td><td></td><td></td><td></td></tr><tr><td>60</td><td>61</td><td>Lime</td><td></td><td></td><td></td></tr><tr><td>61</td><td>90</td><td>Shale</td><td></td><td></td><td></td></tr><tr><td>90</td><td>107</td><td>Lime & Shale</td><td></td><td></td><td></td></tr><tr><td>107</td><td>113</td><td>Lime</td><td></td><td></td><td></td></tr><tr><td>113</td><td>120</td><td>Shale</td><td></td><td></td><td></td></tr><tr><td>120</td><td>133</td><td>Lime</td><td></td><td></td><td></td></tr><tr><td>133</td><td>135</td><td>Shale & lime</td><td></td><td></td><td></td></tr><tr><td>135</td><td>137</td><td>Lime</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	2	Top Soil	137	138	Shale	2	18	Yellow Clay	138	155	Lime w/some Sand	18	33	Gray Shale				33	45	Lime				45	57	Shale				57	59	Lime				59	60	Shale				60	61	Lime				61	90	Shale				90	107	Lime & Shale				107	113	Lime				113	120	Shale				120	133	Lime				133	135	Shale & lime				135	137	Lime			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																																
0	2	Top Soil	137	138	Shale																																																																																																
2	18	Yellow Clay	138	155	Lime w/some Sand																																																																																																
18	33	Gray Shale																																																																																																			
33	45	Lime																																																																																																			
45	57	Shale																																																																																																			
57	59	Lime																																																																																																			
59	60	Shale																																																																																																			
60	61	Lime																																																																																																			
61	90	Shale																																																																																																			
90	107	Lime & Shale																																																																																																			
107	113	Lime																																																																																																			
113	120	Shale																																																																																																			
120	133	Lime																																																																																																			
133	135	Shale & lime																																																																																																			
135	137	Lime																																																																																																			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) May 23, 1989 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 464 This Water Well Record was completed on (mo/day/yr) June 2, 1989 under the business name of Water Well Services, Inc. by (signature) <i>[Signature]</i>																																																																																																					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.																																																																																																					