CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

County: Harvey

Location listed as:

Section-Township-Range: Location changed to:

Fraction ( ¼ ¼ ¼): SESESE NE NE NE

Other changes: Initial statements:

Changed to:

initials: // date: ///

verification method: Notification by Wearby Candowner; Country owner

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

Comments:

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction			number	Township number	Range number		
Location of well:	Munu	SE 1/4 SE 1/4	SE 1/4	4 32		T 22			
2. Distance and dir	ection from negrest town or city	Walten, KI. Cod	ρ-3. ow	ner of wel	LEL	and Hier	प		
2. Distance and direction from negrest town or city: Walton, KI. Coap- lymils East Then South on West Street address of well location if in city:				R.R. or street:  City, state, zip code: Walton Kaksas					
4. Locate with "X" in section below: Sketch map:					V	6. Bore hole diain. Completion date			
	N					1	746 17		
	l l					7. Cable tool Rote Hollow rod Jett	ary Driven Du red Bored Rev		
NW   NE						8. Use: Domestic Public supply Industry			
w	E E						Air conditioning S	Stock Other	
sw	SE					9. Casing: Materia			
	i •					Threaded Welded _	Surface 24	in.	
	S Mile ————————————————————————————————————					RMP PVC Dia in. to 78 ft.			
5. Type and color of material				From	То	Dia in. to ft. depth gage No.			
-T-had				<b>A</b>	4	10. Screen: Manufacturer's name Sunflower Plasar Pipe inc			
Lapso	*			10	2	Туре ДМ. В	Dia		
Brown clay				2	8	Slot/gauze 3/31 Length 35 Set between 20 ft. and 40 ft.			
Blue Shall				8	20	Gravel pack? Size range of material # ft.			
1 inner town				21	91	11. Static water level: mo./day/yr.			
13 Pura				01	2/		ft. below land surface Date 346/1-11		
Denc				2/	20	12. Pumping level below land surfaces:  15. ft. after hrs. pumping g.p.m.			
Blueshale				50	68	ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.			
Limestone Rock				68	70	Estimated maximum yield			
BlueShalo				10	18	Yes No Date			
Nun	SAW CE			10	10	14. Well head completion Pitless adapter	: _ <b></b> Inches abov	e grade	
				ļ	-	15. Well grouted?	_		
						With: Neat cement .  Depth: From 3 ft.	<i>10</i>		
						16. Negrest source of nos	sible Contamination:	1000	
						ft Direction . Well disinfected upon con		No	
			VVI)			17. Pump:	X Not installed		
				<del> </del>		Manufacturer's name Model number	HP V	olts	
						Length of drop pipe	ft. capacity	g.p.m.	
						Type: Submersible	Turbi	ne	
	(lies	econd sheet if needed)				Jet Centrifugal	Recip	procating S	
18. Elevation:	19. Remarks:	econo siree il lideded/			<u> </u>	20. Water well contractor		<u>'</u> "	
						This well was drilled under is true to the best of my k	, .	nis report	
Topography:						Tronk	Budde 2	21 \si	
Hill Slope					Business name License No. Address			icense No.	
Upland						Signed Tronh	Rudde Dat	316287	
Valley	1					Authorized	representative		