WATER WELL R		WWC-5		ision of Water		W-11 ID	
Original Record 1 LOCATION OF W		ge in Well Use Fraction	Sec	urces App. No tion Number		well IDer Range Number	
	TOA Harvey	1 12 W 1/2 W 1/4	SW/4 SW	13	T 22s	R	
2 WELL OWNER: L	ast Name: Abno Y					(if unknown, distance and	
Business: 1/393 N W 364 direction from nearest town or intersection): If at owner's address, check here:							
Addition.							
City: HalSta	ad State: K	2 ZIP:67056	6 F	λN	Walton	Anprox	
3 LOCATE WELL	4 DEPTH OF CO	MDI ETED WELL.	72 4	5 T -4'4			
WITH "X" IN	4 DEPTH OF COMPLETED WELL: ft. 5 Latitude: Longitude: Longitude:						
SECTION BOX:		3) ft., or 4)		Longitude:			
N		ATER LEVEL:			for Latitude/Longitude		
	below land surfac	e, measured on (mo-day-	уг)улэ	□ CP)	
NW NE	above land surface	e, measured on (mo-day-	yr) /. U.T	(WAAS enabled? Yes No)			
W	1 .	water was firs pumping			nd Survey Topogra		
W E	1	water was f			illie Mapper	•••••	
SW SE		rs pumping	gpm	6 El			
X	Estimated Yield:				. Ground Level TOC GPS Topographic Map		
S 1 mile	Bore Hole Diameter:					Or 5 Topograpine Wap	
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID		10. 🔲 Oil	Field Water Supply: 16	ease	
Household	Dewateri		11. Test Hole: well ID				
☐ Lawn & Garden	7. Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?			
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well lD ☐ Air Sparge ☐ Soil Vapor Extr			b) Open Loop Surface Discharge Inj. of Water			
4. Industrial	☐ Recovery	-					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? Yes □ No 8 TYPE OF CASING USED: □ Steel □ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded □ Threaded							
8 TYPE OF CASING	USED: Steel P	VC Other	CASIN	NG JOINTS:	☐ Glued ☐ Clamped	d ☐ Welded ☐ Threaded	
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Steel □ Fiberglass □ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible	le contamination:						
☐ Septic Tank	☐ Lateral Lir		_	Livestock Pen	_	cide Storage	
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well							
Other (Specify) Direction from well? Distance from well?							
Direction from well?	\	Distance from w	ell? <i>10.0</i> .				
10 FROM TO		OGIC LOG	FROM	TO I	LITHO. LOG (cont.) or	r PLUGGING INTERVALS	
0 23	Sandy Cla	e y					
22 38	XEIIVW Sho						
30 50	Blue Shall	2/8					
20 23	Water						
67 75	Grav State	2 Chale					
	July The second		Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, plugged							
under my jurisdiction and was completed on (mo-day-year)							
under the business name of Backhive Drifting							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas							
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
Visit us at http://www.kdl	heks.gov/waterwell/index.html		KSA 82a-1	212		Revised 9/10/2012	