

**WATER WELL RECORD Form WWC-5**

Division of Water Resources App. No. \_\_\_\_\_ Well ID \_\_\_\_\_

Original Record  Correction  Change in Well

1 LOCATION OF WATER WELL: County: Harvey Fraction SW SE SE Section Number 21 Township Number 22T S Range Number R 2 E W

2 WELL OWNER: Last Name: Henits First: Mike Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:  well in North Central front yard **BDA**

Business: \_\_\_\_\_ Address: 7902 NE 60th St City: Walton State: Ks ZIP: 67151

3 LOCATE WELL WITH "X" IN SECTION BOX:

N

|          |                |
|----------|----------------|
| -- NW -- | -- NE --       |
| -- SW -- | <b>X</b> SE -- |

S

----- 1 mile -----

4 DEPTH OF COMPLETED WELL: 130 ft.

Depth(s) Groundwater Encountered: 1) 30 ft. 2) \_\_\_\_\_ ft. 3) \_\_\_\_\_ ft., or 4)  Dry Well

WELL'S STATIC WATER LEVEL: 25 ft.

below land surface, measured on (mo-day-yr) \_\_\_\_\_

above land surface, measured on (mo-day-yr) \_\_\_\_\_

Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

Estimated Yield: 2 gpm

Bore Hole Diameter: 8 in. to 130 ft. and \_\_\_\_\_ in. to \_\_\_\_\_ ft.

5 Latitude: 38.11913 (decimal degrees)

Longitude: -97.21657 (decimal degrees)

Horizontal Datum:  WGS 84  NAD 83  NAD 27

Source for Latitude/Longitude:  GPS (unit make/model: \_\_\_\_\_) (WAAS enabled?  Yes  No)

Land Survey  Topographic Map  Online Mapper: \_\_\_\_\_

6 Elevation: \_\_\_\_\_ ft.  Ground Level  TOC

Source:  Land Survey  GPS  Topographic Map  Other \_\_\_\_\_

7 WELL WATER TO BE USED AS:

1. Domestic:  Household  Lawn & Garden  Livestock

2.  Irrigation

3.  Feedlot

4.  Industrial

5.  Public Water Supply: well ID \_\_\_\_\_

6.  Dewatering: how many wells? \_\_\_\_\_

7.  Aquifer Recharge: well ID \_\_\_\_\_

8.  Monitoring: well ID \_\_\_\_\_

9. Environmental Remediation: well ID \_\_\_\_\_

Air Sparge  Soil Vapor Extraction  Recovery  Injection

10.  Oil Field Water Supply: lease \_\_\_\_\_

11. Test Hole: well ID \_\_\_\_\_  Cased  Uncased  Geotechnical

12. Geothermal: how many bores? \_\_\_\_\_

a) Closed Loop  Horizontal  Vertical

b) Open Loop  Surface Discharge  Inj. of Water

13.  Other (specify): \_\_\_\_\_

Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted: \_\_\_\_\_

Water well disinfected?  Yes  No

8 TYPE OF CASING USED:  Steel  PVC  Other .. CASING JOINTS:  Glued  Clamped  Welded  Threaded

Casing diameter 5 in. to 130 ft. Diameter 502.26 in. to \_\_\_\_\_ ft., Diameter \_\_\_\_\_ in. to \_\_\_\_\_ ft.

Casing height above land surface 18 in. Weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. 502.26

TYPE OF SCREEN OR PERFORATION MATERIAL:

Steel  Stainless Steel  Fiberglass  PVC  Other (Specify) \_\_\_\_\_

Brass  Galvanized Steel  Concrete tile  None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

Continuous Slot  Mill Slot  Gauze Wrapped  Torch Cut  Drilled Holes  Other (Specify) \_\_\_\_\_

Louvered Shutter  Key Punched  Wire Wrapped  Saw Cut  None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 110 ft. to 130 ft. From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

GRAVEL PACK INTERVALS: From 130 ft. to 23 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

9 GROUT MATERIAL:  Neat cement  Cement grout  Bentonite  Other ..

Grout Intervals: From 23 ft. to 3 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Nearest source of possible contamination:

Septic Tank  Lateral Lines  Pit Privy  Livestock Pens  Insecticide Storage

Sewer Lines  Cess Pool  Wastewater Lagoon  Fuel Storage  Abandoned Water Well

Watertight Sewer Lines  Seepage Pit  Feedyard  Fertilizer Storage  Oil Well/Gas Well

Other (Specify) \_\_\_\_\_

Direction from well? west Distance from well? 400+ ft.

| 10 FROM | TO  | LITHOLOGIC LOG               | FROM | TO | LITHO. LOG (cont.) or PLUGGING INTERVALS |
|---------|-----|------------------------------|------|----|--|
| 0       | 14  | soil yellow clay             |      |    |  |
| 14      | 16  | Black silt                   |      |    |  |
| 16      | 42  | grey shale H20 @ 30'         |      |    |  |
| 42      | 47  | hard grey shale              |      |    |  |
| 47      | 56  | Blue shale                   |      |    |  |
| 56      | 71  | grey shale                   |      |    |  |
| 71      | 130 | grey shale w/ gypsum streaks |      |    |  |

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year) 3/2/23 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 975 is Water Well Record was completed on (mo-day-year) 3/2/23 under the business name of Euler water well drilling Signature \_\_\_\_\_