WATE	K WELI	RECORD	Forn	n wwc-5	Divi	sion of Wa	ater Reso	urces; App. No.	ــــــــا٠		
		WATER WELL: Lvnn		SW ¼						Range Number R 24 E	
Distance located v	and directivithin city?	Lynn on from nearest town 314 S 9 th , Mound Cit	or city stree	et address of	well if G	l obal Pos Latitude:	itioning N 38	; System (deci: .13942°	mal degr	ees, min. of 4 digits	
] I	ongitude	: W 94	.82081°			
		OWNER: KDHE			I	Elevation:	RIM:	867.80; TOC:	867.42		
RR#,	St. Address	s, Box # : 1000 S	W Jackson			Datum: WGS84					
City,	State, ZIP (Code : Topeka	KS 66612		I	Data Colle	ection M	fethod: legal	survey		
		L'S 4 DEPTH OF	COMPLE	TED WEL				ft.			
LOC	ATON					MW3					
WIT	H AN "X"	IN Depth(s) Groun	ndwater Enc	ountered 1			ft. 2		ft. 3	ft	
SECT	TION BOX	: WELL'S STA	ΓIC WATE	R LEVEL	1.43 ft.	below la	nd surfa	ce measured o	n mo/da	ft ay/yr 9/27/12	
	N	Pum	test data:	Well water	was	ft.	after	hours	s pumpi	ng gpm	
	i	Est. Yield	gpm:	Well water	was	ft.	after	hours	s pumpi	ng gpm	
N	ν - ν		R TO BE U	SED AS: 5	Public wat	er supply	8 Aiı	conditioning	11 In	iection well	
	. '\-									er (Specify below)	
w		E 2 Irrigation 4									
!	N - SE -	1 -	maasti iai	, 2011100110	(141111 00 8						
	v - - SE -	Was a chemica	1/hacteriolo	gical sample	submitted	to Depar	tment?	Ves No	. v · i	If yes, mo/day/yrs	
Lxi											
	5									No X	
5 TYPI	E OF CASI	NG USED: 5	Wrought Ir	on	8 Concrete	e tile	CASI	NG JOINTS:	Glued	Clamped	
1 St	eel	3 RMP (SR) 6	Asbestos-C	ement 9	Other (s	pecify be	low)		Welded	d	
(2) PV	VC	4 ABS 7	Fiberglass						Thread	led X	
Blank cas	sing diamet	er 2 in. to	3 f	t Dia	ir	ı. to	ft	Dia	in.	to ft	
Casing he	ight helow	and surface 0.3	8 ft W	eight		lhs /	ft Wal	l thickness or	gange N	Jo	
TYPE OF	SCREEN	UK PEKEUKAINI	N IVIA LEKIA	41.							
		inless steel 5 Fil	perglass (7) PVC	9 A I	3S		11 Other (sr	ecify)		
2 B ₁	ass 4 Ga	vanized steel 6 Co	ncrete tile	8 RM (SR)	10 As	bestos-Ce	ement	12 None use	ed (oper	hole)	
SCREEN	2 PVC										
1 Co	ontinuous s	ot (3)Mill slot	5 Gau	ze wrapped	7 Torch	cut	9 Drille	ed holes 11	None	(open hole)	
2 Lo	ouvered shu	tter 4 Key punche	d 6 Wire	e wrapped	8 Saw C	Cut 1	0 Other	r (specify)			
SCREEN	-PERFORA	ATED INTERVALS:	From	3	ft. to	15	ft. Fro	om	ft. to) ft	
			From		ft. to		ft. Fro	om	ft. to	ft.	
GF	RAVEL PA	CK INTERVALS:	From	2	ft. to	15.2	ft. Fro	om	ft. to) ft	
			From		ft. to		ft. Fro	om	ft. tc	ft	
6 CPO	CITY NATA TYPE	DIAL. 1 Nost com	ont 2 Cou	mont arout	(2) Pontos	oito (Other	Compression	164		
Crowt Inte	UI WIAIE	RIAL: I Neat cell	lent 2 Cel	E	(2) Poetitor	nie (4		Concrete: 0-	111	6 /	
Grout Inte	ervais r	rom II. to	- II.	From	IL. I	.0	п.	riom		п. ю п.	
		ource of possible cor			от: .		10.7			1601 (10	
	tic tank	4 Lateral lin						cticide Storag		16 Other (specify	
	ver lines	5 Cess pool		ge lagoon (1				ndoned water		below)	
		er lines 6 Seepage p	nt 9 Feedy			_		well/ gas well			
Direction	from well?	SE		F.	low many	reet? ~4:	511				
FROM	TO	LITHOI	LOGIC LOC	ថ្ង	FROM	TO		PLUGGIN	G INTE	RVALS	
0	8	Brown hard silty c	lay								
8	9	Sandy hard limeste	one								
9	15.2	Brown shale									
						-					
							T7) 1			OTT.	
							Flushm	ount waiver	from B	OW	
CONT	DACTOR	S OR LANDOWNI	PIC CEDI	CIEICATIO	Ni. This		0	1 (2)		. 1 (2) 1	
										cted, or (3) plugged nowledge and belief	
		nd was completed on (1						on (mo/day/ye			
		ntractor's License No.			by (signatu		ompieted	on (modaay/v	ar) 12	2/3/12	
						,					
INSTRUCT	TONS: Pleas	fill in blanks or circle the Jackson St., Suite 420, T	correct answer	ers. Send top th	ree copies to	Kansas Dep	partment of Send on	of Haltmand Env	ironment.	, Bureau of Water,	
vour records	. Fee of \$5.00	for each constructed well	Visit us at h	ttn://www.kdhe	ks.gov/water	5-290~552∠ well.	Sena on	C TO WILLIAM	.LL U W IN	LEN and retain one for	