WATER WELL RECORD		Form W	WC-5	Division of Water	r Resources App. No).	
1 LOCATION OF WATE	ER WELL:	Fraction		Section Number		Range Number	
County: Mayici		SW14SW14S	4 1/4 1/4	7		$R \supset M \subseteq W$	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees)			
				Longitude: (in decimal degrees) Elevation:			
				Datum: WGS 84	I. □ NAD 83. □	 NAD 27	
2 WATER WELL OWNER: Kethy Rodgers				Collection Method:			
2 WATER WELL OWNER: Kethy Rodgers RR#, Street Address, Box #: City, State, ZIP Code : Peabody 15 66866				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code	pody to 6	6 F bb	☐ Digital Map/Ph Est. Accuracy: ☐ <	oto, ∐ Topographic 3 m. □ 3-5 m. □	S Map, ☐ Land Survey 5-15 m. ☐ >15 m		
3 LOCATE WELL		()			, <u></u> , <u></u>		
WITH AN "X" IN 4	DEPTH OF (COMPLETED WEL	L	ft.			
SECTION BOX:	X: Depth(s) Groundwater Encountered (1)						
V	Pump test data: Well water wasft. after						
' '	EST VIELD // arm Well water was the offer hours numning and						
W NW NE EST. FIELD Setgpin. Wen water was							
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
was a chemical/bacterfological sample submitted to Department?							
S If yes, mo/day/yr sample was submitted							
Water wen districted:							
5 TYPE OF CASING USED: Steel PVC Other Other							
Casing diameter 5 in to 50 ft Diameter in to ft Diameter in to ft							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter in. to ft. Casing height above land surface in., Weight SDR 26lbs./ft., Wall thickness or gauge No. 21.7							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel Other (Specify)							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch Cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
From ft to ft From ft to ft							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From O. 20. ft. to 20. ft., From ft., From ft., From ft., From ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Sewer lines							
Direction from well				rom well . / D.D			
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 25 CIG	y ~ [5]	ve Shall	₽				
0 1- 00 0.0	Sand						
25 01 7116	Sanc						
20 45 Blue	2 Chalo	<u>e</u>					
11 - 110 12	71.10	1 1 1.7				***	
43 47 Crvn	ibled S	haled Wa	cer		Substitution of the substi		
47 30 Gra	v Sha	12					
	/						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) 3							
under the business name of Sackhyo							
(white, blue, pink) to Kansas Dep	partment of Health	and Environment, Bureau	of Water, Geolog	gy Section, 1000 SW Jac	ckson St., Suite 420, 7	Горека, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							