WATER WELL RECORD		Form W			r Resources App. No	
1 LOCATION OF WATE	CR WELL:	Fraction Sc1/4 N W/4 Sc	3 1/4 1/4	Section Number	Township No. T A A S	Range Number R ZE W
County: Mahion Street/Rural Address of V	Vell Location: if a	inknown distance &	direction	Global Positioning		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude:		
			Longitude: (in decimal degrees)			
				Elevation:		
2 WATER WELL OWNER: CILBER & LOWER				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:		
2 WATER WELL OWNER: GIBERT RR#, Street Address, Box #: 674 NOIL MILL RO			GPS unit (Make/Model:)			
City, State, ZIP Code : Peabody Ks. bbslb			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
3 LOCATE WELL	tean	Day TSI	00800	Est. Accuracy:	3 m, <u></u> 3-5 m, <u></u>	5-15 m, <u> </u>
WITH AN "X" IN 4	DEPTH OF CO	OMPLETED WELI	75	,,, ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1)ft. (2)						
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
Pump test data: Well water wasft. after hours pumping						
NWNE E	ST. YIELD.	gpm. Well water	Well water wasft. after			
W E Bore Hole Diameter						njection well
						Other (Specify below)
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Cattle						Cattle
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water will distincted: 140						
5 TYPE OF CASING USED: Steel Z-PVC Other						
CASING JOINTS: Gued Clamped Welded Threaded Casing diameter in to ft Diameter in to ft Diameter in to ft						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well . IV.	2.11. Q. W.S. K.	h.i.n F. mi				
FROM TO	LITHOLOGIC	CLOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS
0 2 Clay						
	Shale					
37 E3 DEC.	SHALL					
105 70 Lim	0					
To FD Gray	Shale					
20 40 hine	2					
90 91 Wat	er_	Q / 10				
91 95 Hand	1 Bhay	Shale				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:, This, water well was Constructed, I reconstructed, or I plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year),						
under the business name of Dackhus by (signature) by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send	one copy to WATE	R WELL OWNER and	retain one for y	our records. Include fe	e of \$5.00 for each	constructed well. Visit us at
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212						
NOA 040-1414						