


1 LOCATION OF WATER WELL: County: Marion Fraction: SW 1/4 SE 1/4 SE 1/4 Section Number: 18 Township Number: T 22 S Range Number: R 5 E/W

Distance and direction from nearest town or city, street address of well if located within city?  
2 1/2 Mile North & 1/4 West of Burns

2 WATER WELL OWNER: Marvin Nightengale  
 RR#, St. Address, Box #: Rt 1  
 City, State, ZIP Code: Burns, Ks 66840  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 75 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. Re-Const. ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 32 ft. below land surface measured on mo/day/yr April 3 92  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 13 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 in. to 23 ft., and 7 in. to 75 ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected?  Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  6 Asbestos-Cement  9 Other (specify below)  Welded  
 2 PVC  4 ABS  7 Fiberglass  Threaded  
 Blank casing diameter: 5 in. to 32 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface: 16 in., weight lbs./ft. Wall thickness or gauge No. SP R-26  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  7 PVC  10 Asbestos-cement  
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot  6 Wire wrapped  8 Saw cut  11 None (open hole)  
 2 Louvered shutter  4 Key punched  7 Torch cut  10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 32 ft. to 75 ft., From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:  1 Neat cement  2 Cement grout  3 Bentonite  4 Other  
 Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? South West How many feet? 50

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		<u>Log unknown</u>			
		<u>This well had casing removed and reamed out &amp; re-cased</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) April 3 92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/yr) April 8 92 under the business name of Zinn Water Well Dnlg by (signature) Joseph A. Zinn

OFFICE USE ONLY  
T  
R  
EW  
SEC.