WATER WELL RECORD			Form WWC-5		Division of Water Resources App. No.		
1 LOCATION OF WATER WELL: County: Pratt			Fraction 1/4 SW 1/4 SW	1/i nw. 1/:	Section Number 33	Township No. T 26 S	Range Number R 14 □E ☑W
		Idress of Well Location					
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
					Longitude: (in decimal degrees)		
				Elevation:			
2 WATER WELL OWNER: Tom Penka					Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Tom Penka RR#, Street Address, Box #: 504 S. Main					Collection Method: GPS unit (Make/Model:)		
City, State, ZIP Code : Pratt, KS					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
	Attane Grand				Est. Accuracy: \square <	3 m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m
	TE WEL	L A DEPTH OF	COMPLETED WELL	110	£.		
		AN "X" IN Depth of COMPLETED WELL 110 ft. Depth(s) Groundwater Encountered (1).35 ft. (2) ft. (3)					
5201	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
[Pump test data: Well water wasft. after hours pumping gpm						
NW	EST. YIELDgpm. Well water was						
1 337 1	7 L E Bore Hole Diameter 9.75in. toft., andin. toft.						
1.	WELL WATER TO BE USED AS Funic water supply Geometria injection wen						
SW	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
	Was a chemical/bacteriological sample submitted to Department? Yes No						
	S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ✓ Yes ☐ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 5 in. to 110 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface. 24 in., Weight							
Steel Stainless Steel ✓ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 90 ft. to 110 ft., From ft. to ft.							
From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 25 ft. to 110 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
What is the nearest source of possible contamination:							
Septic tank							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
		t sewer lines		Fertilizer sto			***************************************
FROM	TO TO	LITHOLOG	urci og	FROM			 IGGING INTERVALS
	100	TOPSOIL & SANDY C	The first of the second of the	TROM	TO EITHOLE	30 (cont.) <u>or</u> 1 20	GOITO INTERVILED
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111111111111111111111111111111111	SANDY CLAY & SAND				······································	
	2010	SAND					
		SAND & WHITE CLAY					
95	110	SAND LITTLE CLAY				:	<u></u>
			· · · · · · · · · · · · · · · · · · ·		<u></u>		
						·····	<u></u>
			<u> </u>		<u>- in i gran, de la compositor de la com</u>	<u> </u>	<u></u>
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .6/20/13 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 864 This Water Well Record was completed on (mo/day/year) .6/20/13							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to							
PAN OF	Cansas Dep	partment of Health and Environ 5524. Send one copy to WAT	ment, Bureau of Water, Geo	logy Section, 10	00 SW Jackson St., Suit	e 420, Topeka, Kansas	s 6 6612-1367.

http://www.kdheks.gov/waterwell/index.html