LOCATION OF WATER W	/ELL Fraction				
	NF	4 NE 4 SW	Section Number	1 1	Range Number
istance and direction from $55E$			Street address of well	if located within city?	
WATER WELL OWNER:	DM Boile	\mathcal{G} .	1		Iture, Division of Water Resources
ity, State, ZIP Code	Matricia	Green.	11-4	Application Nun	nber: //// 2in. to4.3 ft.
/ell Water to be used as:	5 Public water		8 Air conditioning	11 Injectio	
Domestic 3 Feedlot			9 Dewatering 10 Observation well	12 Other (Specify below)
2 Irrigation 4 Industria	al 7 Lawn and			nonth S	day 8/year
ump Test Data	: Well water was	s ft. after .			gpm
st. Yield / A TYPE OF BLANK CASIN		5 Wrought iron	8 Concrete tile		Glued . X Clamped
	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify belo	ow)	Welded
	4 ABS	7 Fiberglass		•	Welded
Nank casing dia	in to				in. to ft.
asing height above land su	ırface 3 6	in weight		s./ft. Wall thickness or o	auge No . 3/8
YPE OF SCREEN OR PER			7)PVC	10 Asbestos	. , ,
			8 RMP (SR)	11 Other (s	pecify)
	4 Galvanized steel	•	9 ABS	12 None us	• •
Screen or Perforation Openia			d wrapped		11 None (open hole)
1 Continuous slot	3 Mill slot		vrapped	9 Drilled holes	(,
2 Louvered shutter	4 Key punched	7 Torch	• •	•	
Screen-Perforation Dia	10 in to		in. to	ft Dia	in to
Screen-Perforated Intervals:	From 9	ft to 43	ft From .		t. toft.
Gravel Pack Intervals:	From				t. toft. t. toft. t. to ft.
	FIOITI	ft. to			
GROUT MATERIAL:	(1)Neat coment	2 Cement grout			
GROUT MATERIAL:		2 Cement grout	3 Bentonite 4	Other	
arouted Intervals: From		.6 ft., From	3 Bentonite	Other	ft. to
Grouted Intervals: From What is the nearest source of	of possible contamination	6 ft., From	3 Bentonite 4	Other ft., From	ft. toft.
Grouted Intervals: From What is the nearest source of 1 Septic tank	of possible contamination 4 Cess pool	. 6 ft., From : :: 7 Sewage lago	3 Bentonite 4 ft. to 10 Fue on 11 Fert	Other	ft. toft. 14 Abandoned water well 15 Oil well/Gas well
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines	of possible contamination 4 Cess pool 5 Seepage pit	tt., From	3 Bentonite 4	Other	ft. toft. 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Provided Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy	tt., From	3 Bentonite 4	t Other	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per	3 Bentonite 4	I Other	ft. to
Provided Intervals: From	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth	tt., From	3 Bentonite 4	If Other	ft. to
Provided Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to I	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 4 10 Fue on 11 Fert 12 Inse 13 Wate	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No	ft. to
Provided Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to I month	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 4 10 Fue on 11 Fert 12 Inse ns 13 Wat 7 Wate	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes led? Yes	ft. to
Grouted Intervals: From	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to Imonth	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 4 10 Fue on 11 Fert 12 Inse 13 Wat 7 Wate 14 year: Pump Install Model No	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to Imonth	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 4 Insert Service S	I Other	ft. to
orouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Von Th	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue on 11 Fert 12 Inse ns 13 Wat 2 Wate 15 Year: Pump Install Model No Pumps Capacity rated a 3 Jet 4 Cer as Constructed, (2) re	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No led? Yes htrifugal 5 Recipiconstructed, or (3) plugg	ft. to
Vhat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Vonth cal sample submitted to I month name 1 Submersible INDOWNER'S CERTIFIC	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue on 11 Fert 12 Inse ns 13 Wat 2 Wate 2 Wate 3 Jet 4 Cer as 13 Jet day 4 day 5 day	I Other ft., From I storage ilizer storage cticide storage certight sewer lines or Well Disinfected? Yes No ed? Yes htrifugal 5 Recipiconstructed, or (3) plugg	ft. to
Arouted Intervals: From	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to I month name	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 2 Wate 2 Wate 3 Jet 4 Cer 3 Jet 4 Cer 4 Cas Constructed, (2) re 5 Jet 10 Fue 10 Fue 11 Fert 12 Inse 13 Wate 14 Cer 15 Jet 2 Cer 16 Jet 2 Cer 17 Jet 2 Cer 18 Jet 3 Jet 4 Cer 18 Jet 4	I Other It, From I storage citizer storage cetticide storage certight sewer lines r Well Disinfected? Yes No HP It Intrifugal S Recipical Constructed, or (3) plugge	ft. to
Arouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to I month s name 1 Submersible NDOWNER'S CERTIFIC 5 be best of my knowledge as completed on	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 2 Wate 2 Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cer as Constructed, (2) re 4 day 4 Cer 5 day 6 Contractor's License Inonth.	I Other It, From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. HP It Intrifugal S Recipical Constructed, or (3) pluggen I Agy	ft. to
Provided Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Non Th	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 2 Year: Pump Install Model No Pumps Capacity rated at 3 Jet 4 Cer as Constructed, (2) re 5 day 4 Cell Contractor's License Inonth Dy (signature)	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
routed Intervals: From. Yhat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Venth H cal sample submitted to I month name 1 Submersible NDOWNER'S CERTIFIC be best of my knowledge as completed on TION FROM TO	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 2 Year: Pump Install Model No Pumps Capacity rated at 3 Jet 4 Cer as Constructed, (2) re 5 day 4 Cell Contractor's License Inonth Dy (signature)	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologic Was submitted Yes: Pump Manufacturer's Depth of Pump Intake Yepe of pump: CONTRACTOR'S OR LA COMPleted on Completed on Completed on Contractor is true to the chis water Well Record was learne of	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Ven Th	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 2 Year: Pump Install Model No Pumps Capacity rated at 3 Jet 4 Cer as Constructed, (2) re 5 day 4 Cell Contractor's License Inonth Dy (signature)	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologic Was submitted Yes: Pump Manufacturer's Depth of Pump Intake Yepe of pump: CONTRACTOR'S OR LA COMPleted on Ind this record is true to the Chis Water Well Record was Name of MC NETT COAT WITH AN "X" IN SECTION.	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Nonth H cal sample submitted to I month s name. 1 Submersible NDOWNER'S CERTIFIC 5 be best of my knowledge as completed on DNILL'AG TION ON TO	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cere 15 Constructed, (2) re 16 Contractor's License Inse 17 Constructed Inse 18 Contractor's License Inse	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy on Th cal sample submitted to I month name 1 Submersible NDOWNER'S CERTIFIC be best of my knowledge as completed on Drilling FROM TO INDOWNER'S TION FROM TO INDOWNER'S TO TO TO TO TO TO TO TO TO T	ft., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cert 15 Constructed, (2) re 16 Contractor's License Insent. 17 Constructed Insent. 18 Constructed Insent. 19 Constructed Insent.	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Non Th	tt., From 7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 25 Constructed, (2) re 26 Contractor's License Insert Contractor's License Insert Contractor Co	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologic Was submitted Yes: Pump Manufacturer's Depth of Pump Intake Yes: Pump Manufacturer's North Andrew Intake Yes: Pump Manufacturer's North Andrew Intake Yes: Pump Manufacturer's Yes: Pump	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy NonTh	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 14 Cer 15 Constructed, (2) re 16 Contractor's License Inonth 17 Constructed 18 Constructed 19 Con	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologic Was submitted Yes: Pump Manufacturer's Depth of Pump Intake Yepe of pump: CONTRACTOR'S OR LA COMPleted on This water Well Record was become of LOCATE WELL'S LOCATE WELL'S LOCATE WELL'S LOCATE BOX:	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Non Th	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 25 Constructed, (2) re 26 Contractor's License Insert Contractor's License Insert Contractor Co	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologic Was submitted Yes: Pump Manufacturer's Depth of Pump Intake Yepe of pump: CONTRACTOR'S OR LA Completed on This Water Well Record was some of LOCATE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy NonTh	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 14 Year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cer as 15 Constructed, (2) re 5 day Vell Contractor's License Intents by (signature) IC LOG FRO	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy NonTh	7 Sewage lago 8 Feed yard 9 Livestock per low many feet Department? Yes day ft. 2 Turbine ATION: This water well was month and belief. Kansas Water W LITHOLOG CL Bra C Gravel C G Gravel C G Gravel C G G G G G G G G G G G G G G G G G G G	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 15 Constructed, (2) re 16 Contractor's License Insent. 17 Cy (signature) 18 Ch Ch	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy NonTh	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 15 Constructed, (2) re 16 Contractor's License Insent. 17 Cy (signature) 18 Ch Ch	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy NonTh	7 Sewage lago 8 Feed yard 9 Livestock per low many feet Department? Yes day ft. 2 Turbine ATION: This water well was month and belief. Kansas Water W LITHOLOG CL Bra C Gravel C G Gravel C G Gravel C G G G G G G G G G G G G G G G G G G G	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 15 Constructed, (2) re 16 Contractor's License Insent. 17 Cy (signature) 18 Ch Ch	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	ft. to of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy NonTh	7 Sewage lago 8 Feed yard 9 Livestock per low many feet Department? Yes day ft. 2 Turbine ATION: This water well was month and belief. Kansas Water W LITHOLOG CL Bra C Gravel C G Gravel C G Gravel C G G G G G G G G G G G G G G G G G G G	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 15 Constructed, (2) re 16 Contractor's License Insent. 17 Cy (signature) 18 Ch Ch	I Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg	ft. to
Arouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologic vas submitted Yes: Pump Manufacturer's Depth of Pump Intake Ype of pump: CONTRACTOR'S OR LA Completed on India this record is true to the control of the control	of possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy Non Th	7 Sewage lago 8 Feed yard 9 Livestock per low many feet	3 Bentonite 10 Fue 11 Fert 12 Inse 13 Wate 13 Wate 14 Cer 15 Constructed, (2) re 16 Contractor's License legenth. 17 Con 10 FRC 18 Pum 18 Constructed 19 Co	I Other ft., From I storage cilizer storage certicide storage certight sewer lines or Well Disinfected? Yes No. led? Yes HP It Intrifugal 5 Recipi constructed, or (3) plugg No. 2 0 3 day DM TO	ft. to