MW-2 2240	70 WATER	WELL RECORD F	orm WWC-5	KSA 82	a-1212	
LOCATION OF WATER WELL:	Fraction	. \		tion Number	Township Number	Range Number
County: Hardry	1 NW 1/4			ZZ	T 23 s	R / (_E/W
Distance and direction from nearest			<i>a</i> ! .			
140			<u>d</u>			
2 WATER WELL OWNER:	Mid Co	ntinent	Indi	ustrie	25	
RR#, St. Address, Box # :	1400	S. Spence		/		ure, Division of Water Resources
City, State, ZIP Code :	Neu	ton KS	6711	4	Application Numb	per:
LOCATE WELL'S LOCATION WIT	TH 4 DEPTH OF CO	MPLETED WELL	17.5	. ft. ELEVA	TION:	
AN "X" IN SECTION BOX:	_					ft. 3
T .						19/yr 8-10-95
1	• • • • • • • • • • • • • • • • • • •	_				s pumping gpm
NW NE						s pumping gpm
<u> </u>						in. to
₩ <del>                                     </del>	WELL WATER TO		Public water		8 Air conditioning	11 Injection well
-	1 Domestic				9 Dewatering	12 Other (Specify below)
<b>b</b> - SW   SE	2 Irrigation					
	1					yes, mo/day/yr sample was sub-
<u> </u>		icteriologica: sample su	iomilited to Di			
5 TYPE OF BLANK CASING USED	mitted	F Manual install	0.0		ater Well Disinfected? Ye	
<b>_</b>		5 Wrought iron	8 Concre			Glued Clamped
1 Steel 3 RMP	• •	6 Asbestos-Cement		(specify belo		Welded
2 PVC 4 ABS		7 Fiberglass				fireaded) . F-lusk
Blank casing diameter		ft., Dia				in. to ft.
Casing height above land surface	•	n., weight 👟 .				
TYPE OF SCREEN OR PERFORAT			PV		10 Asbestos-	
1 Steel 3 Stain	less steel	5 Fiberglass		MP (SR)	11 Other (spe	ecify)
		6 Concrete tile	9 AB	S	12 None use	d (open hole)
SCREEN OR PERFORATION OPEN	NINGS ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	Mill slot	6 Wire w	rapped		9 Drilled holes	
2 Louvered shutter 4	Key punched	7 Torch				
CODEEN DEDECORATED INTERVAL			177			
SCREEN-PERFORATED INTERVAL	.S: From					$\text{ft. to.} \dots $
SCHEEN-PERFORATED INTERVAL	From	ft. to	· · · · · <u>; · · ·</u> · ·	ft., Fro	om	ft. toft.
GRAVEL PACK INTERVAL	From	ft. to	· · · · · <u>; · · ·</u> · ·	ft., Fro	om	
	From	ft. to	17.5	ft., Fro	om om om	ft. to ft. ft. to ft. ft. to
GRAVEL PACK INTERVAL	From	ft. to ft. to ft. to ft. to	17.5 3 Bento	ft., Frontie 4	omom  Other	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL: 1 Ne  Grout Intervals: From. 55.	From	ft. to ft. to ft. to ft. to	17.5 3 Bento	ft., Frontie 4	omom  Other	ft. to ft. ft. to ft. ft. to
GRAVEL PACK INTERVAL	From	ft. to ft. to ft. to ft. to Cement grout ft. to	17.5 3 Bento	ft., Fro ft., Fro ft., Fro onite 4 to	om Otherft., From stock pens	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL: 1 Ne  Grout Intervals: From . 5.4.5.	From	ft. to ft. to ft. to ft. to	17.5 3 Bento	ft., Fro ft., Fro ft., Fro onite 4 to	om Other tt., From	ft. to
GRAVEL PACK INTERVAL  6 GROUT MATERIAL: 1 Ne Grout Intervals: From . 5.4.5.  What is the nearest source of possii 1 Septic tank 4 La	From	ft. to ft. to ft. to ft. to Cement grout ft. to	J7.S 3 Bento ft.	ft., Frontie 4  10 Lives	Other	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL: 1 Ne Grout Intervals: From. 5.4.5.  What is the nearest source of possii 1 Septic tank 4 La	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	J7.S 3 Bento ft.	ft., Fronte 4 to 10 Live	om Otherft., From stock pens storage	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL: 1 Ne Grout Intervals: From. 5.4.5.  What is the nearest source of possii 1 Septic tank 4 La 2 Sewer lines 5 C	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor	J7.S 3 Bento ft.	ft., Fronte 4 to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals:  From.  5.4.5  What is the nearest source of possil  Septic tank  4 La  2 Sewer lines  5 Ca  3 Watertight sewer lines  6 Septic Services  6 Septic Sep	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	ft., Fronte 4 to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  Substituting the sewer lines  GRAVEL PACK INTERVAL  1 Ne  4 La  2 Sewer lines  5 Co  3 Watertight sewer lines  6 Substituting the sewer lines  Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	ft., Fronte 4 to 10 Lives 12 Ferti 13 Inse	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  Substituting the sewer lines  GRAVEL PACK INTERVAL  1 Ne  4 La  2 Sewer lines  5 Co  3 Watertight sewer lines  6 Substituting the sewer lines  Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  Substituting the sewer lines  GRAVEL PACK INTERVAL  1 Ne  4 La  2 Sewer lines  5 Co  3 Watertight sewer lines  6 Substituting the sewer lines  Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  Substituting the sewer lines  GRAVEL PACK INTERVAL  1 Ne  4 La  2 Sewer lines  5 Co  3 Watertight sewer lines  6 Substituting the sewer lines  Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  Substituting the sewer lines  GRAVEL PACK INTERVAL  1 Ne  4 La  2 Sewer lines  5 Co  3 Watertight sewer lines  6 Substituting the sewer lines  Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  6 GROUT MATERIAL: 1 Ne Grout Intervals: From. 55. What is the nearest source of possii 1 Septic tank 2 Sewer lines 5 Co 3 Watertight sewer lines 6 Sc Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  Substituting the sewer lines  GRAVEL PACK INTERVAL  1 Ne  4 La  2 Sewer lines  5 Co  3 Watertight sewer lines  6 Substituting the sewer lines  Direction from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.4.5.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Sewer lines  Watertight sewer lines  Subjection from well?	From	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	to	om Otherft., From stock pens storage Tizer storage cticide storage any feet?  130	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 55.  What is the nearest source of possil  1 Septic tank 4 La  2 Sewer lines 5 C.  3 Watertight sewer lines 6 So  Direction from well?  FROM TO	From	ft. to ft. to ft. to ft. to Cement grout ft., From ft. to The privy Sewage lagor Feedyard  Feedyard  Feedyard	J.7. S  3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	Other Other  ft., From Stock pens Storage Tizer storage Cticide storage Any feet?  PLUGGI  Ben Tonu	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals:  From. 55.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  FROM  TO  CONTRACTOR'S OR LANDOW	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	FROM Oco	10 Lives 11 Fuel 12 Ferti 13 Inse How ma TO	om  Other  ft., From  stock pens storage lizer storage chicide storage any feet?  PLUGGI  Bendon  onstructed, of (3) plugger	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 55.  What is the nearest source of possii  Septic tank  Septic tank  Septic tank  Watertight sewer lines  FROM  TO  CONTRACTOR'S OR LANDOW  completed on (mo/day/year)	From	ft. to ft. to ft. to ft. to Cement grout ft., From ft. to This water well was	FROM Oco	10 Lives 11 Fuel 12 Ferti 13 Inse How ma TO 17.5	om  Other  ft., From  stock pens storage lizer storage cticide storage any feet?  PLUGGI  Bettonia  onstructed, o (3) plugger ord is true to the best of n	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.1.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  FROM  TO  CONTRACTOR'S OR LANDOW  Completed on (mo/day/year)  Water Well Contractor's License No	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG	FROM Oco	10 Lives 11 Fuel 12 Ferti 13 Insee How ma TO 17.5	on Other  Other  It., From  Stock pens Storage  Tizer storage cticide storage Any feet?  PLUGGI  Bettoria	ft. to
GRAVEL PACK INTERVAL  GROUT MATERIAL:  Grout Intervals: From. 5.1.5.  What is the nearest source of possii  Septic tank  Sewer lines  Watertight sewer lines  FROM  TO  CONTRACTOR'S OR LANDOW!  completed on (mo/day/year)	From	ft. to ft. to ft. to ft. to Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  OG  OG  This water well was This Water We	FROM Occording to the second was all Record was	to	om Other  ft., From stock pens storage lizer storage cticide storage any feet? PLUGGI Bendown on (mo/day/yr) ature)	ft. to