

1 LOCATION OF WATER WELL:		Fraction <u>NE 1/4 NE 1/4 SW 1/4</u>		Section Number <u>17</u>		Township Number <u>T 23 S</u>		Range Number <u>R 1 EW</u>				
Distance and direction from nearest town or city street address of well if located within city? <u>129 West Broadway, Newton, KS.</u>												
2 WATER WELL OWNER: <u>Kimball, Inc.</u> RR#, St. Address, Box #: <u>Rt2 Box 136 C</u> City, State, ZIP Code: <u>Halstead, KS. 67056</u>												
Board of Agriculture, Division of Water Resources Application Number:												
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: <u>15'</u> ft. ELEVATION: _____ ft.									
			Depth(s) Groundwater Encountered <u>1 10'</u> ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL <u>8.08</u> ft. below land surface measured on mo/day/yr <u>5-16-96</u> Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter: <u>8 1/2"</u> in. to <u>15'</u> ft., and _____ in. to _____ ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes _____ No <u>X</u>									
			5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ Blank casing diameter <u>2.375</u> in. to <u>5'</u> ft., Dia _____ in. to _____ ft., Dia _____ in. to <u>sch 13</u> ft. Casing height above land surface <u>Flush Mt.</u> in., weight _____ lbs./ft. Wall thickness or gauge No. <u>sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) _____ 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>3 Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From <u>15'</u> ft. to <u>5'</u> ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From <u>15'</u> ft. to <u>4'</u> ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.									
			6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____ Grout Intervals: From <u>4'</u> ft. to <u>3'</u> ft., From <u>3'</u> ft. to <u>0'</u> ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>South East</u> How many feet? <u>35'</u>									
			FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 .75 Asphalt over concrete .75 2.75 Dk brn clay, firm to stiff, no odor, med. plasticity. 2.75 10 Gray green-green silty clay w/ caliche, faint odor, tight. 10 15 Olive green to gray weathered shale to shale w/ caliche stringers, dry, tight, no odor.					<u>F.M. OK'd by Don Taylor</u>				
			7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-15-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>539</u> This Water Well Record was completed on (mo/day/yr) <u>5-18-96</u> under the business name of <u>JB Environmental Drilling</u> by (signature) <u>James Becker</u>									