	WATER WELL RECORD	Form WWC-5	KSA 82a-1	212		
1 LOCATION OF WATER WELL:	Fraction	Section	on Number	Township Number	Range Number	
County: Harvey	SE 14 SW 14 NW	1/4	3	т ДЗ s	R / (E)W	
Distance and direction from nearest town of	or city street address of well if located	d within city?				
	7 Campas CE					
		1				
2 WATER WELL OWNER:	DOCA					
RR#, St. Address, Box # : 337 Campasct,			Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : New t	104 Ks. 67117	0		Application Number:		
3 LOCATE WELL'S LOCATION WITH A	DEPTH OF COMPLETED WELL.	43-	ft. ELEVAT	ION:		
	epth(s) Groundwater Encountered 1				,	
	ELL'S STATIC WATER LEVEL					
NW NE	Pump test data: Well water					
	st. Yield . \mathcal{L} . \mathcal{O} gpm: Well wate					
<u>u</u>	ore Hole Diameter in. to	43 	ft., a	nd in	. to	
# W I I BO	ELL WATER TO BE USED AS:	5 Public water	supply 8	Air conditioning 11	Injection well	
-				Dewatering 12	· 1 11	
SW SE				Monitoring well	m	
	_			\ /	1 C	
l l w	as a chemical/bacteriological sample s	submitted to Dep				
S mi	itted		Wate	er Well Disinfected? Yes	No 9	
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concret	e tile	CASING JOINTS: Glue	No ON	
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (s	pecify below		led	
2 PVC 4 ABS	7 Fiberglass	(-	,,		aded	
	A / Fiberglass		4			
Blank casing diameter	β π., Dia	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	40	. π., Dia	"". 10 5	
Casing height above land surface/.	Ain., weight L. 14		?	. Wall thickness or gauge N	lo. (SX /	
TYPE OF SCREEN OR PERFORATION N	MATERIAL:	7 PVC		10 Asbestos-ceme	ent	
1 Steel 3 Stainless st	teel 5 Fiberglass	8 RMF	(SR)	11 Other (specify))	
2 Brass 4 Galvanized	steel 6 Concrete tile	9 ABS		12 None used (or	pen hole)	
SCREEN OR PERFORATION OPENINGS		ed wrapped		8 Saw cut	11 None (open hole)	
		• • •		9 Drilled holes	(open noic)	
1 Continuous slot 3 Mill s		wrapped				
2 Louvered shutter 4 Key	punched \$ 7 Torch	cut 🗸 🗸		10 Other (specify)	····	
SCREEN-PERFORATED INTERVALS:	From ft. to	<i>. Y . O</i>	ft., From	70 ft.	toft.	
	From ft. to		ft., From	i	toft.	
GRAVEL PACK INTERVALS:	From ft. to		ft., From	ı ft. '	toft.	
	From ft. to		ft., From			
6 GROUT MATERIAL: 1 Neat cen		3 Benton		Other		
	<i>A</i> •	\ 				
_	to $0.2.0$ ft., From 0.0	π. το				
What is the nearest source of possible co	ntamination:		10 Livesto	ock pens 14 A	Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy			11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		oon	12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage				Other (specify below)		
Direction from well?	5 p		How man	11.		
	LITHOLOGIC LOG	FROM	TO	PLUGGING	INTERVALS	
A (3// /) /	EITHOLOGIC LOG	THOW		. 20000	INTERVALS OF	
0 28 Clay						
2d 38 finet	o Med. Sand					
1 1 1						
32 65 Grav.	Shale Shale					
					, , ,	
65-95- Blue	01.1-					
03 73- 13 100	Shale					
		1 1	1		_	
77 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed or (2) already under my included and was						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was						
completed on (mo/day/year)						
Water Well Contractor's License No This Water Well Record was completed on (me/day)						
under the business name of Backhus Dr. 11. 19 by (signature) Jackhus Faakhus						
dider the business flame of 15000	KAUS UNILL	· 10	by (signat	uke Saul H.	Fasher	
INSTRUCTIONS: Use typewriter or ball point per		• 1			Fachus	