


1 LOCATION OF WATER WELL: Fraction SW 1/4 No 1/4 Me 1/4 Section Number 5 Township Number T 23 S Range Number R 1 E  
 County: Harvey

Distance and direction from nearest town or city street address of well if located within city?  
In No. Newton 325 Campas Ct.

2 WATER WELL OWNER: Vern Miller  
 RR#, St. Address, Box #: 325 Campas Ct. Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: No. Newton, KS. 67117 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 95 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 85 ft. 2. .... ft. 3. .... ft.  
 WELL'S STATIC WATER LEVEL 17 ft. below land surface measured on mo/day/yr 6-14-93  
 Pump test data: Well water was .... ft. after .... hours pumping .... gpm  
 Est. Yield 30 gpm Well water was .... ft. after .... hours pumping .... gpm  
 Bore Hole Diameter 9 in. to 30 in. and 7 1/2 in. to 95 in. ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes..... No X.....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded  
 Blank casing diameter 5 in. to 7 1/2 in. Dia. in. to .... ft. Dia. in. to .... ft.  
 Casing height above land surface 12 in., weight CLASS 160 lbs./ft. Wall thickness or gauge No. 214  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 75 ft. to 95 ft. From .... ft. to .... ft.  
 From .... ft. to .... ft. From .... ft. to .... ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 95 ft. From .... ft. to .... ft.  
 From .... ft. to .... ft. From .... ft. to .... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 0 ft. to 20 ft. From .... ft. to .... ft. From .... ft. to .... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? N How many feet? 50

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	24	Clay			
24	30	Sandy Clay			
30	85	Blue + Gray Shale			
85	86	Water			
86	95	Gray Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-14-93 and this record is true to the best of my knowledge and belief. Kansas  
 Water Well Contractor's License No. 180 This Water Well Record was completed on (mo/day/yr) 7-7-93  
 under the business name of Backhus Drilling by (signature) Paul H. Backhus

OFFICE USE ONLY