

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: County HARVEY Fraction SE 1/4 NE 1/4 SE 1/4 Section number 6 Township number T 23 S R 1 Range number 10 EW																																		
2. Distance and direction from nearest town or city: Street address of well location if in city: N Edge of Newton																																		
3. Owner of well: PRESTRESSED CONC. N. Hwy 81 Newton, KS																																		
4. Locate with "X" in section below: <div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> </div> <div> </div> </div>																																		
5. Type and color of material																																		
<table border="1"> <thead> <tr> <th></th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>Well #1</td> <td></td> <td></td> </tr> <tr> <td>Trash to LRAM</td> <td>0</td> <td>5</td> </tr> <tr> <td>RED BROWN CLAY</td> <td>5</td> <td>20</td> </tr> <tr> <td>" " " to DARK</td> <td>20</td> <td>25</td> </tr> <tr> <td>GRITTY RED BROWN CLAY</td> <td>25</td> <td>30</td> </tr> <tr> <td>SANDY BROWN CLAY</td> <td>30</td> <td>33</td> </tr> <tr> <td>SAND w/ clay - med. coarse</td> <td>33</td> <td>38</td> </tr> <tr> <td>GREEN / GREY SHALE</td> <td>38</td> <td>40</td> </tr> <tr> <td>DARK GREEN SHALE</td> <td>40</td> <td>45</td> </tr> <tr> <td>" (Wellington)</td> <td>45</td> <td>50</td> </tr> </tbody> </table>			From	To	Well #1			Trash to LRAM	0	5	RED BROWN CLAY	5	20	" " " to DARK	20	25	GRITTY RED BROWN CLAY	25	30	SANDY BROWN CLAY	30	33	SAND w/ clay - med. coarse	33	38	GREEN / GREY SHALE	38	40	DARK GREEN SHALE	40	45	" (Wellington)	45	50
	From	To																																
Well #1																																		
Trash to LRAM	0	5																																
RED BROWN CLAY	5	20																																
" " " to DARK	20	25																																
GRITTY RED BROWN CLAY	25	30																																
SANDY BROWN CLAY	30	33																																
SAND w/ clay - med. coarse	33	38																																
GREEN / GREY SHALE	38	40																																
DARK GREEN SHALE	40	45																																
" (Wellington)	45	50																																
6. Bore hole dia. 14 in. Completion date 5-12-79 Well depth 50 ft.																																		
7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																																		
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																																		
9. Casing: Material PLASTIC Height: <input checked="" type="checkbox"/> Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 3.58 lbs./ft. Dia. 6 in. to 50 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1280																																		
10. Screen: Manufacturer's name WESCO Type PVC WOUND Dia. 6" Slot/gauze .046 Length 10' Set between 35 ft. and 45 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4"																																		
11. Static water level: <input type="checkbox"/> mo./day/yr. 9' ft. below land surface Date 3/30/79																																		
12. Pumping level below land surfaces: 23 ft. after 8 hrs. pumping 18 g.p.m. 8 hrs. pumping 18 g.p.m. Estimated maximum yield 30/40 g.p.m.																																		
13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date																																		
14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 Inches above grade																																		
15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.																																		
16. Nearest source of possible contamination: ft. 200' Direction EAST Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																		
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Pumpco Model number 3525159 142 Volts 230 Length of drop pipe 40 ft. capacity 35 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																		
(Use a second sheet if needed)																																		
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:																																	
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. PAUL'S ENCL #175 Business name Box 26 Hesston License No. Address Paul Paulson Date 3/12/79 Signed Paul Paulson Authorized Representative																																		

23
 10
 6
 SE NE SE
 1/4 1/4 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5