			WATER	WELL RECORD Fo	rm WWC-5	KSA 82a			
LOCATION			Fraction	A 1111 (11)		tion Number			Range Number
unty:			SW 1/4	NW 1/4 SW		14_	↑ 23	S	R @M
tance and		00 WEST		lress of well if located v	vithin city?				
			FIFSI	STREET	· C a	mus Aniv			
WATER W	VELL OW	NER: KANST	15 St.	E ELECTRIC	NG 30	0 W. 1	st St.		Division of Water Resou
t#, St. Add	iress, Box	# : NEW1	on Ser	SAS 67119	1		Board of A		Division of Water Resou
y, State, Z	IP Code	· New C	in, Fin	010 0111	T 50	,	Application	Number:	
LOCATE V	VELL'S LO	CATION WITH	DEPTH OF CO	MPLETED WELL ater Encountered 1	1 42	ft. ELEVA	ATION:	ب.	5-11-90
	SECTION	D	epth(s) Groundwa	ater Encountered 1	8,03	ft.	2	ft. 3	
	!	! 1							
L_	~~ - l	- NF	Pump 1	test data: Well water v	vas	N ./.∕∧ ft. 8	after	hours pu	mping g
	'''	E	st. Yield	gpm: Well water v	vas	/. /:/) ft. a	after	hours pu	mping g
 	i	B	ore Hole Diamete	er % in. to			and	in	. to
* [1	, N	VELL WATER TO	BE USED AS: 5	Public water	er supply	8 Air conditioning	11	Injection well
X		!	1 Domestic				9 Dewatering		Other (Specify below)
	3W	35	2 Irrigation	4 Industrial 7	Lawn and	garden only	10 Monitoring well	*	
	- 1	i w	Vas a chemical/ba	cteriological sample sub	mitted to D	epartment? Y	'esNo	; If yes	, mo/day/yr sample was
	S	m	nitted			Wa	ater Well Disinfected	d? Yes	No
TYPE OF	BLANK C	ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOI	NTS: Glue	d Clamped
1 Steel		3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo	w)	Weld	led <u>.</u>
€ PVC)	4_ABS	_	7 Fiberglass				Thre	aded Ж.
ank casing	diameter	?- in	n. to 7 !	ft., Dia	in. to	·	ft., Dia		in. to
asing heigh	t above la	nd surface	i،	n., weight	<u></u> .	Ibs	/ft. Wall thickness of	r gauge N	10. SCH 40
		R PERFORATION		-	(7 P)		10 Asb	estos-ceme	ent
1 Steel		3 Stainless s	steel	5 Fiberglass	8 RM	MP (SR)	11 Othe	er (specify)	
2 Brass	3	4 Galvanized	d steel	6 Concrete tile	9 AE	3S	12 Non	e used (or	pen hole)
REEN OF	PERFOR	RATION OPENING	S ARE:	5 Gauzed	wrapped		8 Saw cut		11 None (open hole)
1 Conti	nuous slo	t 3 Mill	slot	6 Wire wr	apped		9 Drilled holes		
2 Louve	ered shutt		punched	7 Torch o	ut	~	10 Other (specify)	
CREEN-PE	RFORATE	D INTERVALS:	From	ft. to		ft., Fro	om	ft. 1	to
			From			🖍 ft., Fro	om	ft. 1	to
GR	AVEL PAG	CK INTERVALS:	From 5	ft. to	17:3	ft., Fro	om	ft.	to to
			From	ft. to		ft., Fro		ft.	
GROUT N	MATERIAL	: 1 Neat ce	ment 2	Cement grout	3 Bent	onite 4	Other		
rout Interva	ls: From	n <i>O</i> ft	i. to 515	ft., From	ft.	to	ft., From	. .	ft. to
hat is the r	nearest so	urce of possible co	ontamination:			10 Live	stock pens	14 A	Abandoned water well
1 Septi	c tank	4 Lateral	lines	7 Pit privy		11 Fuel	storage	15 C	Oil well/Gas well
2 Sewe	er lines	5 Cess p	oool	8 Sewage lagoo	n	12 Fert	ilizer storage	16 C	Other (specify below)
3 Wate	rtight sew	er lines 6 Seepag	ge pit	9 Feedyard		13 Inse	cticide storage		
irection from	m well?					How ma	any feet?	ON S	176)
FROM	TO PC		LITHOLOGIC L	OG	FROM	TO	PL PL	UGGING	INTERVALS
	0.17	ASPHAG	<u> </u>						
1.17	0.67	GRAVEL							•
.67	2.0	DORK GR	ey Siuty	CLAY, MOIST					
2.0	2.5	CONCRETE							
2.5	4.42	DARK GRE	1 SIUTY C	LAY, MOIST					
-,42	13,42	BROWN SI	UTY CUST	MOIST					
3.42 1	7.42	BROWN C	LAY MED	TO COAPSE SAND					
7,42	n^{50}	BROWN CY	MED. T	O COMPSE SAND					
CONTRA	CTOP'S		S CERTIFICATIO	N: This water well was	(1) conetr	ucted (2) rec	constructed or (3) r	dugged un	der my jurisdiction and
		year) .5	-90	ZIT. TITIS WALET WEIT WAS					nowledge and belief. Kar
•		's License No	102	This Water We				6-26	90 and belief. Nat
		/ _ /	MAS IN ha	The state of the s	n neura w	as completed by (sign			0,
der the bu	IONO !!	118 01 (17)9	NET PUE	2/0/4/					cepies to Kansas Department
of Health	and Environm	ypewriter or ball point pe lent, Bureau of Water Pr	rotection, Topeka. Kan:	RMLY and PRINT clearly. Pleases 66620-7320. Telephone: 91	3-296-5514. S	end one to WATE	ER WELL OWNER and re	tain one for v	our records.