	WATER	WELL REC	ORD F	orm WWC-5	KSA 82	2a-1212				
1 LOCATION OF WATER WELL: County: 1 MWW	Fraction 1/4	8W :	14 SW	Sect	ion Numbe	T 33		Rang	e Num	nber E/ %
Distance and direction from nearest town						1 99			1	
WATER WELL OWNER: AMEY RR#, St. Address, Box # : OD S City, State, ZIP Code : AMEY AN "X" IN SECTION BOX: N N S W S	DEPTH OF COL DEPTH(s) Groundwa VELL'S STATIC W Pump to Sist. Yield Fore Hole Diameter VELL WATER TO 1 Domestic 2 Irrigation Vas a chemical/ba mitted	MPLETED Nater Encount VATER LEV dest data: gpm er	WELL well water well water win. to AS: 5 dlot 6 strial 7	ft. bewas Public water Oil field wat Lawn and gomitted to De	ftft. r supply er supply arden only epartment?	Application Applic	ft. on mo/day/yi hours p hours p iiiing 11 12 well well ft yes	umping In to Injection we Other (Spe	Water I	Resourceftgpmgpmgpm
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)		5 Wrought i 6 Asbestos-		8 Concre	te tile specify bel		JOINTS: Glue Wel	ed C ded		
(2)PVC 4_ABS		7 Fiberglass						eaded.		
Blank casing diameter	n. to 💂	ft., Dia	a			ft., Dia		. in. to	~ '	ft.
Casing height above land surface	ir	n., weight .		'.(<u>~</u>		s./ft. Wall thickne	ss or gauge I	No J. f.	54	
TYPE OF SCREEN OR PERFORATION	MATERIAL:			7) °V		10	Asbestos-cem	nent		
1 Steel 3 Stainless s		5 Fiberglass			P (SR)		Other (specify	•		
2 Brass 4 Galvanized		6 Concrete		9 ABS	3		None used (d	• '		
SCREEN OR PERFORATION OPENING			5 Gauzed			8 Saw cut		11 None	(open	hole)
1 Continuous slot 3 Mill			6 Wire wr			9 Drilled hole				
2 Louvered shutter 4 Key SCREEN-PERFORATED INTERVALS:	punched From	5	7 Torch c	ut 15	4 F	10 Other (spe	ecity)			
GRAVEL PACK INTERVALS: 6 GROUT MATERIAL: Neat ce Grout Intervals: From	t to 2 ontamination: lines	Cement gr	ft. to	3Bento	ft., F nite to	4 Other ft., From restock pens el storage	ft. 114 15	to ft. to . Abandoned Oil well/Gas	water v	ft ft ft
2 Sewer lines 5 Cess pool 8 Sewage lagoo			n		rtilizer storage	16	Other (speci	ty belo	w)	
3 Watertight sewer lines 6 Seepag	je pit	9 Fe	edyard			secticide storage				
Direction from well? FROM TO	LITHOLOGIC LO	OG		FROM	TO TO	nany feet?	PLUGGING	INTERVALS	3	
0 5 Clarx	-			1710111						
5 IS Sulta	Clary									
	0									
						+		and the same to the same and an a	~	
								MUAL		
							(5)	112 4	350	
							15%	CHEM K. 17/7	180	5
7 CONTRACTOR'S OR LANDOWNER	S CERTIFICATIO	Mr. This	tor wall	(1)	otod (O) ==	nonetructed as /	a 10/9	PG 151	ediation	Tal.
CONTRACTOR'S OR LANDOWNER' completed on (mo/day/year)	15-93 102 W				and this re s complete	ecord is true to the	besnof my k	4.84	sdictior od belie	1
INSTRUCTIONS: Use typewriter or ball point pe	OF PRESE PRESE EIE	RMI Y and PRINI	IT clearly Pleas	e fill in blanke			· 1	Scopies Kar	isa han	artment
of Health and Environment, Bureau of Water, T								C MI	300	arin ent