

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

|  |                         |   |  |   |  |
|--|-------------------------|---|--|---|--|
| 1. Location of well:   | County<br><b>HARVEY</b> | Fraction<br><b>SE 1/4 NW 1/4 SE 1/4</b> | Section number<br><b>18</b>  | Township number<br>T <b>23</b> S R <b>1</b> <b>EW</b> | Range number   |
| 2. Distance and direction from nearest town or city:<br>Street address of well location if in city: <b>SAME</b>  |                         |   | 3. Owner of well: <b>Newton, Keen</b><br>R.R. or street: <b>608 Central</b><br>City, state, zip code: <b>Newton, KNS</b> |   |  |
| 4. Locate with "X" in section below:<br>N<br>NW NE<br>SW SE<br>S<br>W E<br>1 Mile<br>1 Mile  |                         |   | Sketch map:<br>  |   |  |
| 5. Type and color of material  |                         |   | From   | To  | 6. Bore hole dia. <b>5</b> in. Completion date <b>7/31/77</b><br>Well depth <b>48</b> ft.  |
|  |                         |   |  |   | 7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug<br><input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary   |
| <b>Loam</b>  |                         |   | <b>0</b>   | <b>5</b>  | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry<br><input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock<br><input checked="" type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other  |
| <b>Sandy loam to clay</b>  |                         |   | <b>5</b>   | <b>10</b>   | 9. Casing: Material <b>plastic</b> Height <b>Above</b> or below<br>Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>12</b> in.<br>RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft.<br>Dia. <b>5</b> in. to <b>48</b> ft. depth Wall Thickness: inches or<br>Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. <b>258</b>   |
| <b>" clay</b>  |                         |   | <b>10</b>  | <b>15</b>   | 10. Screen: Manufacturer's name <b>Robin-Tech - own slot</b><br>Type <b>PVC</b> Dia. <b>5"</b><br>Slot/gauze <b>0.46</b> Length <b>10'</b><br>Set between <b>25</b> ft. and <b>35</b> ft.<br>Gravel pack? <input checked="" type="checkbox"/> Size range of material <b>1/8-1/4</b>  |
| <b>Brown clay</b>  |                         |   | <b>15</b>  | <b>20</b>   | 11. Static water level: <input type="checkbox"/> mo./day/yr.<br><b>16</b> ft. below land surface Date <b>7/31/77</b>   |
| <b>SAND (dark)</b>   |                         |   | <b>20</b>  | <b>25</b>   | 12. Pumping level below land surfaces:<br><b>34</b> ft. after <b>2</b> hrs. pumping <b>18</b> g.p.m.<br><input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m.<br>Estimated maximum yield <b>20</b> g.p.m.   |
| <b>SANDY clay</b>  |                         |   | <b>25</b>  | <b>30</b>   | 13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>  |
| <b>SAND (white gray)</b>   |                         |   | <b>30</b>  | <b>34</b>   | 14. Well head completion:<br><input type="checkbox"/> Pitless adapter <b>12</b> Inches above grade   |
| <b>gray shale</b>  |                         |   | <b>34</b>  | <b>35</b>   | 15. Well grouted? <input checked="" type="checkbox"/><br>With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete<br>Depth: From <b>0</b> ft. to <b>10</b> ft.   |
| <b>" " to dark</b>   |                         |   | <b>35</b>  | <b>40</b>   | 16. Nearest source of possible contamination:<br>ft. <b>46</b> Direction <b>WEST</b> Type <b>sewer</b><br>Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  |
| <b>dark shale</b>  |                         |   | <b>40</b>  | <b>48</b>   | 17. Pump: <input type="checkbox"/> Not installed<br>Manufacturer's name <b>Dempster</b><br>Model number <b>DH50-12HP</b> <b>1/2</b> Volts <b>230</b><br>Length of drop pipe <b>43</b> ft. capacity <b>15</b> g.p.m.<br>Type:<br><input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine<br><input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating<br><input type="checkbox"/> Centrifugal <input type="checkbox"/> Other |
| (Use a second sheet if needed)   |                         |   |  |   | 20. Water well contractor's certification:<br>This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.<br><b>PAUL'S INC #175</b><br>Business name License No.<br>Address <b>Box 26 Houston, KS</b><br>Signed <b>Paul Brubaker</b> Date <b>7/31/77</b><br>Authorized representative  |
| 18. Elevation:<br>Topography:<br><input type="checkbox"/> Hill<br><input type="checkbox"/> Slope<br><input type="checkbox"/> Upland<br><input type="checkbox"/> Valley | 19. Remarks:            |   |  |   |  |

2  
3  
10  
18  
1/4 SE 1/4  
1/4 NW 1/4