

MW-4 211070

WATER WELL RECORD Form WWC-5 KSA 82a-1212

| | | | | | |
|--|-------------|---|----------------|---|----------------------|
| 1 LOCATION OF WATER WELL: | | Fraction | Section Number | Township Number | Range Number |
| County: <u>Harvey</u> | | <u>NW</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ | <u>20</u> | T <u>23</u> S | R <u>1</u> <u>EW</u> |
| Distance and direction from nearest town or city street address of well if located within city? <u>100 S. Main, Newton</u> | | | | | |
| 2 WATER WELL OWNER: <u>Tri-Lakes Petroleum - Steve Wood</u> | | | | | |
| RR#, St. Address, Box # : <u>PO Box 7800</u> | | | | Board of Agriculture, Division of Water Resources | |
| City, State, ZIP Code : <u>Branson, Missouri 65616</u> | | | | Application Number: | |
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | | 4 DEPTH OF COMPLETED WELL: <u>15.0</u> ft. ELEVATION: | | | |
| | | Depth(s) Groundwater Encountered 1. <u>13.5</u> ft. 2. ft. 3. ft. | | | |
| | | WELL'S STATIC WATER LEVEL <u>9.10</u> ft. below land surface measured on mo/day/yr <u>6/11/94</u> | | | |
| | | Pump test data: Well water was ft. after hours pumping gpm | | | |
| | | Est. Yield gpm: Well water was ft. after hours pumping gpm | | | |
| | | Bore Hole Diameter <u>8</u> in. to ft. and in. to ft. | | | |
| WELL WATER TO BE USED AS: | | | | | |
| 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well</u> | | | | | |
| Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted | | | | | |
| Water Well Disinfected? Yes No <u>X</u> | | | | | |
| 5 TYPE OF BLANK CASING USED: | | | | | |
| 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter <u>2.0</u> in. to ft. Dia. in. to ft. Dia. in. to ft. Threaded <u>Flush</u> Casing height above land surface <u>Flush</u> in., weight <u>.703</u> lbs./ft. Wall thickness or gauge No. <u>.154</u> | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | | | | |
| 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>3 Mill slot</u> 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) | | | | | |
| SCREEN-PERFORATED INTERVALS: From <u>5.0</u> ft. to <u>15.0</u> ft. From ft. to ft. | | | | | |
| GRAVEL PACK INTERVALS: From <u>4.0</u> ft. to <u>15.0</u> ft. From ft. to ft. | | | | | |
| 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other | | | | | |
| Grout Intervals: From <u>2.0</u> ft. to <u>4.0</u> ft. From ft. to ft. From ft. to ft. | | | | | |
| What is the nearest source of possible contamination: | | | | | |
| 1 Septic tank 4 Lateral lines 7 Pit privy <u>11 Fuel storage</u> 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) | | | | | |
| Direction from well? <u>E</u> How many feet? <u>15</u> | | | | | |
| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
| <u>0</u> | <u>1.5</u> | <u>ASPHALT</u> | | | |
| <u>1.5</u> | <u>3.0</u> | <u>FILL</u> | | | |
| <u>3.0</u> | <u>15.0</u> | <u>SHALE</u> | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5/5/94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>531</u> This Water Well Record was completed on (mo/day/yr) <u>6/30/94</u> under the business name of <u>GSI</u> by (signature) <u>Mike Simpson</u> | | | | | |