- Iroca	TION OF WA	TED MEL I		ACTION		Water Well Red	ord Form	WWC-5						
							377.7		Section Number		nship Number	Range Number		
	Harve	Y frem nearest town or city		√W 1/4			NW	1/4	5	т.	23 s	R 1E E	/W	
ı		_	y street add			•								
	OO W.		(A D D	EVEL(	ewtor		ısas							
ш	ST. ADRESS,				JPMEN				Board of Agriculture, Di	lvivsion of Water Resource				
RR#, ST. ADRESS, BOX#: 1300 W. 9th CITY, STATE, ZIP CODE: Newton, Kansas							67114 Application Number:							
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COM										ELEVATION:				
	" IN SECTION					ncountered		, 0	ft.	2	ft.	3	ft.	
l t			_	`,'			12	FT			SURED ON mo/day/yr	10/09/19		
	Pump test data: Well wa							vas	ft.	after	hours pum		gpm	
	NW		Est. Yiel	ld	gpn	n: We	ll water v	was	ft.	after	hours pum		gpm	
l Mile M M		E	Bore Hol	le Diamete	er 1	.2 in.	to 3	0	ft.	and	in.	to	ft.	
= "			WELL V	VATER T	O BE US	ED AS:	5 Publi	c wate	r supply	8 Air cond	litioning 11 I	njection well		
1.	sw	sæ	1 De	mestic		eedlot	6 Oil fi	eld wa	iter supply	9 Dewater	ing 12 C	Other (Specify below)	)	
	2 Irrigation 4 Industrial							7 Lawn and garden only 10 Monitoring well						
Was a chemical/bacteriological sample submit								· · · · · · · · · · · · · · · · · · ·						
submitted								Water Well Disinfected? Yes X No						
<b>—</b>		SING USED:				Vrought iro		-	Concrete tile			lued X Clamped		
1 Stee		3 RMP (SR)				sbestos-Cer	ment		Other (Specify	y below)		Velded		
2 PVC		4 ABS				iberglass			DR-26			hreaded		
i	sing Diam	•		0 20		., Dia		in.		•	Dia in.	to ft.		
Casing height above land surface 12 in., weight 2.1  TYPE OF SCREEN OR PERFORATION MATERIAL:									lbs. / ft. 7 PVC	Wall thick	ness or gauge No. 10 Asbestos-ceme	.214		
1 Steel 3 Stainless Steel 5 Fiberglass									RMP (SR)		11 other (specify			
2 Brass 4 Galvanized steel 6 Concrete tile									9 ABS 12 None used (open hole)					
2 Diass 4 Guivanized Secti							auzed wra	9.5					ole)	
							ire wrapp						,	
2 Louve	red shutte					7 To	rch cut			10 Oth	er (specify)			
SCREE	N-PERFO	RATION INTERV	ALS:	from 2	20		ft. to 3 (	<b>1</b>	ft., Fr	om.	ft. to		ft.	
							ft. to		ft., Fr		ft. to		ft.	
GRAVEL PACK INTERVALS: from 20					20	ft. to 30			ft., From		ft. to		ft.	
				from			ft. to		ft., Fr	om	ft. to		ft.	
6 GRC	OUT MATI	ERIAL: 1 Neat	cement		2 Cement	t grout		3 Be	ntonite	4 Other	bentonite	hole plug	9	
Grout Intervals: From 0 ft. to 20 ft. From								ft.	-		From	ft. to	ft.	
What is the nearest source of possible contamination:						a hu				10 Livestock pens		14 Abandon water well		
1 Septic tank 4 Lateral lines						7 Pit privy 8 Sewage lagoon				11 Fuel storage 12 Fertilizer storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool										cticide storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit						9 Feedyard				How many feet?				
Direction from well?     FROM   TO   LITHOLOGIC LOG								ROM	то	How 1	nany feet? PLUGGING INTER	DVALS		
0	2	topsoil		oole Be			<u> </u>	<del>TOM</del>	1 10		TECOGINO INTE	AVALIS		
2	12	clay												
12	23	fine san	ıd											
23	30	shale												
									_					
			<del> </del>				-							
<u> </u>														
<b></b>														
									1					
7 (0)	IIII A COMO	Dic on - ·			Thi	tar mall	o (4) c==	ot	tod (2) =====	etricted	(2) plugged and a	ny juriodiation and		
	ompleted Ompleted	on (mo/day/year	K'S CERTII	TICATION:	11115 Wat	ter well wa 8	s (1) con	SIFUCI	cord is true to	structed, of the heet of	(3) plugged under n my knowledge and	ny jurisulcuon and belief. Kansas W:	ı ater	
Well C	ontractor	's License No	236		This	Water Wel	l Record	was o	completed on	(mo/day/vr)	10/12	2/98	1	
Under	the busir	ness name of.从គ	arpW	ell 8	. Pun	p Ser	vice,	I	nc by (si	ignature)				
1									- •	•	Todd L	. Harp		