			Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCATION OF W	ATER WELL:	FRACTION			Section Number	Township Number	Range Number
لط Harve	ey	NW 1/4	NW 1/4 SW	7 1/4	33	_T 23 _s	$_{\rm R}$ 1E $_{\rm EW}$
		y street address of well if locat	ed within city?			- <u>, , , , , , , , , , , , , , , , , , ,</u>	
2905 9	. Kansas		Newto	n, Kan	gag		
WATERWELL		DER, Ron	TIENTO	, Kan			
		-	7			Board of Agriculture, Di	vivsion of Water Resource
RR#, ST. ADRESS		S. Kansas	Ave			•	
CITY, STATE, ZI		on, Kansas				Application Number	: 20010097
LOCATE WELL'S	LOCATION WITH	◆ DEPTH OF COM		21		ATION:	
AN A INSECTIO	N N	Depth(s) groundwa	ter Encountered	1	ft.	2 ft.	3 ft.
		WELL'S STATIC WA	TER LEVEL 5	FT. I	BELOW LAND SURI	FACE MEASURED ON mo/day/yr	05/16/2001
	NE	Pump test	data: Well wa	ter was	ft. a	fter hours pump	oing gpm
		Est. Yield	gpm: Well wa	ter was	ft. a	fter hours pump	oing gpm
w W	E	Bore Hole Diameter	12 in. to	21	ft.	and in.	to ft.
≧ w 		WELL WATER TO B	E USED AS: 51	Public water	supply 8	Air conditioning 11 Ir	jection well
		1 Domestic	3 Feedlot 6	Oil field wate	r supply 9	Dewatering 12 O	ther (Specify below)
- sw	SE	2 Irrigation		Lawn and ga		Monitoring well	
		S	dalagiaal aammia suhu	nitted to Den	•	8	o/day/yr sample was
, t <u>L </u>	S	Was a chemical/bacter	notogicat sample subr	nittea to Dep			
		submitted	· · · · · · · · · · · · · · · · · · ·				X No
	ASING USED:		5 Wrought iron		Concrete tile		lued X Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement	90	Other (Specify bel	,	'elded
2 PVC	4 ABS		7 Fiberglass	SI	R-26	Т	hreaded
Blank casing Dian	neter 5	in. to 6	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height abo	ve land surface 1	. 2 in. ,	weight 2.	35	bs. / ft. V	Vall thickness or gauge No.	.214
TYPE OF SCRE	EN OR PERFORA	TION MATERIAL:	•		PVC	10 Asbestos-ceme	nt
1 Steel	3 Stainless Steel		5 Fiberglass	81	RMP (SR)	11 other (specify)
2 Brass	4 Galvanized stee	el	6 Concrete tile	9 /	ABS	12 None used (op	en hole)
SCREEN OR PE	REORATION OPE	ENING ARE:	5 Gauzeo	l wrapped		8 Saw cut	11 None (open hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 5 Saw cut 11 None (open note) 1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
To Mill and The Mills of the Mi							
	• •		7 Torch c			10 Other (specify)	~
SCREEN-PERFC	DRATION INTERV	ALS: from 6	ft. to	21	ft., From	ft. to	ft.
		from	ft. t		ft., From	ft. to	ft.
GRAV	EL PACK INTER	VALS: from 6	ft. t	o 21	ft., From	ft. to	ft.
		from	ft. t		ft., From	ft. to	n.
6 GROUT MAT	ERIAL: 1 Neat	cement 2 C	ement grout	3 Bent	onite	4 Other bentonite	hole plug
Grout Intervals: From ft. to ft. From ft. to ft. From 0 ft. to 6 ft.							
What is the nearest source of possible contamination:					10 Livestoc	k pens 14 A	bandon water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilize		16 Other (specify below)	
3 Watertight sew	ver lines 6 Seep:	age pit	9 Feedyard		13 Insection	ide storage	
Direction from we	_ •					How many feet? 10	
FROM TO	Last	LITHOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS
0 3	topsoil						
3 5	clay						
5 17	fine san						
17 21	1				I		
 				l	ł ł		
	shale			l	i I		
	snare						
	snare						
	snare						·
	gnate						
	gnate						
	Bhate						
	Bhate						
	Bhate						
	Bhate						
	Bhate						
	Bhate						
7		Ti-					
7 CONTRACT	OR'S OR LANDOWNE	ER'S CERTIFICATION: Thi	s water well was (1)	constructe	d, (2) reconstru	cted, or (3) plugged under r	ny jurisdiction and
was completed	OR'S OR LANDOWNE) 05/16/9) 1 a	nd this rec	ord is true to the	e best of my knowledge and	belief. Kansas Water
was completed Well Contracto	OR'S OR LANDOWNE) 05/16/9) 1a This Water Well Re	ind this reco	ord is true to the	e best of my knowledge and o/day/yr)0.5./.2.	belief. Kansas Water