1 LOCATION OF WATER WELL:	FRACTION	٧	wat	EL WEILK	ecola P	ronn wwc-	Section Number	Town	ship Number	Range Number			
	NW	1/4	NW	1/4	sw	1/4	33		0.0	, 1E			
Harvey Distance and direction frem nearest town or city street add						SW	4/9		Т	23 s	RIE	E/W	
2905 S. Kansa					Ne	wtor	ı, Ka	nsas			····		
	IARDER			_						Board of Agriculture, Di	viveion of Water De	Tre	
	2905 S								,				
	<u>lewton</u>									Application Number	200100	97	
LOCATE WELL'S LOCATION WIT		DEPTH OF					21		LEVATION:				
N SECTION BOX:	D	epth(s) gro	oundwa	iter Enco	untere	d	1	ft.	2	ft.	3	ft.	
1 1	WE	LL'S STAT	IC WA	ATER LI	EVEL	5	FI	. BELOW LAND	SURFACE MEAS	SURED ON mo/day/yr	05/16/2	001	
NW NE		Pun	np test	data:	W	ell wate	r was	ft.	after	hours pump	oing	gpm	
		Yield		gpm:	W	ell wate	er was	ft.	after	hours pum	oing	gpm	
ij w	E Bore	Hole Dian	neter	12	in.	to	21	ft.	and	in.	to	ft.	
= " X	WEI	LL WATER	к то в	E USED	AS:	5 Pu	ıblic wate	er supply	8 Air condi	tioning 11 Ir	jection well		
SE SE		1 Domestic	:	3 Feed	lot	6 O	il field w	ater supply	9 Dewateri	ng 12 O	ther (Specify bel	ow)	
SW SE	2 Irrigation	n	4 Indus	strial	7 L:	awn and	garden only	10 Monitori	ng well				
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was										vas			
S submitted Water Well Disinfected? Yes X No													
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped												ed	
1 Steel 3 RMP (SR)									Other (Specify below) Welded				
2 PVC 4 ABS					rglass			DR-26		Threaded			
	:	to 6							n., D	ia in.	to f	t.	
Blank casing Diameter 5	in.	10 0		ft.,	Dia		in	. 10 lbs. / ft.	*	ess or gauge No.	.214		
Casing height above land surfa TYPE OF SCREEN OR PERI		NMATERI	in., AL:		weight	2.3		7 PVC	TT ALL THICKS	10 Asbestos-ceme		ī.	
1 Steel 3 Stainless				5 Fiber	glass			8 RMP (SR)		11 other (specify	•		
				6 Concr	ete tile			9 ABS		12 None used (op			
										8 Saw cut 11 None (open hole)			
SCREEN OR PERFORATION OPENING ARE:				5 Gauzed wrapped					9 Drilled holes				
1 Continous slot 3 Mill slot					6 Wire wrapped								
2 Louvered shutter 4 Key punched 7 Torch c									10 Otn	er (specify)			
SCREEN-PERFORATION INTERVALS: from 6			ft. to 21			21	ft., From		ft. to		ft.		
from			n	ft. to				ft., From		ft. to		ft.	
GRAVEL PACK INTERVALS: from 6			n 6	ft. to 21			21	ft., Fr	om	ft. to		ft.	
from			ft. to				ft., Fr	om	ft. to		ſt.		
6 GROUT MATERIAL: 1	Neat ceme	nt	2 C	ement gr	out		3 Be	entonite	4 Other	bentonite	hole pl	ug	
Grout Intervals: From ft. to			ft. From			ſt.	to ft.		From 0 ft. to 6 ft.				
What is the nearest source of possible contamination:			:					10 Livestock pens		=	bandon water we	n	
1 Septic tank 4 Lateral lines				7 Pit privy				11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage lagoon				12 Fertilizer storage					
3 Watertight sewer lines 6 Seepage pit					9 Feedyard				13 Insecticide storage				
Direction from well? Eas					-				How n	nany feet? 10			
FROM TO	LITH	IOLOGIC	LOG				FROM	ТО		PLUGGING INTE	RVALS		
0 3 topso	oil												
3 5 clay													
5 17 fine	sand												
17 21 shale													
										• • • • • • •			
									# 11 AMERICAN SECTION AND ADDRESS OF A SECTION AND A SECTION ASSESSMENT ASSES	The state of the s			
									·		• •		
	and the second section of the second section of the second section of the second section secti												

						-+							
					-								
		·····									CONTRACTOR CO.		
									<u> </u>				
7 CONTRACTOR'S OR LAND	DOWNER'S CI	ERTIFICATIO	א: Th i	is water	well w	as (1) c	construc	ted, (2) recon	structed, or (3) plugged under n	ny jurisdiction a	and	
was completed on (mo/day	y/year)	0.5/	1.6./.(0.1		an	d this re	cord is true to	the best of	my knowledge and	belief. Kansas	Water	
Well Contractor's License	No2.3	3.6		This Wa	ater We	ell Reco	ord was	completed on	(mo/day/yr).	05/2	3/01		
Under the business name	of.Harp	Well	&	P.ump.	Se	cvic	eI	ಗಿದ by (si	ignature)	$\sigma_{\alpha} f f$	c ala		
										Toaa S	S. Harp		