		Water Well Recor	ord Form WWC-5	5 KSA 82a-1212			
1 LOCATION OF WATER WELL:	FRACTION	ier of w	Y2	Section Number	Township Number	Range Number	
Harvey	1/4	12 B 1/4 W	1/4	19	T 23 s	R 1E E/W	
Distance and direction frem nearest town or city s	street address of well if loca	ited within city?					
Meridian & Hwy 50, 1/2 m. N., 1/4 E., S. side of Sharps Newton, Kansas							
WATER WELL OWNER: NEWTON	i, CITY OF					,	
RR#, ST. ADRESS, BOX#: P.O. B	Вож 687				Board of Agriculture, Divivsion of Water Resource		
CITY, STATE, ZIP CODE: Newton, Kansas				67114 Application Number: 20020008			
LOCATE WELL'S LOCATION WITH 4	DEPTH OF COM	PLETED WELL	, 33	ft. EI	LEVATION:		
AN "X" IN SECTION BOX:	Depth(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.	
1	VELL'S STATIC WA	ATER LEVEL 1	6 FT	BELOW LAND S	SURFACE MEASURED ON mo/day/yr	1-16-2002	
NW NE	Pump test	_	water was	ft.	after hours pun	nping gpm	
Es	st. Yield	gpm: Well	water was	ft.	after hours pun	- 0	
E Bo	ore Hole Diameter	12 in.	to 33	ft.	and in.	to ft.	
	VELL WATER TO B	BE USED AS:	5 Public water			Injection well	
	1 Domestic	3 Feedlot	6 Oil field wa			Other (Specify below)	
- SW SE	2 Irrigation	4 Industrial	7 Lawn and g	garden only	10 Monitoring well	· •	
	Vas a chemical/bacte	riological sample	submitted to !	Denartment? Y	<u>D</u>	mo/day/yr sample was	
e i	vas a chemical/bacte submitted	Hological sample.	Submittee to a	-	Vater Well Disinfected? Yes		
5 TYPE OF CASING USED:		5 Wrought iron	. ,	Concrete tile		Glued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Ceme		Other (Specify		Giued Ciamped Welded	
2 PVC 4 ABS		7 Fiberglass	•	DR-26	· ·	Weided Threaded	
	n. to 20	Ü					
Blank casing Diameter 5 in		ft., Dia	in. 235		ft., Dia in.	to ft.	
Casing height above land surface 12 TYPE OF SCREEN OR PERFORATION	in. , ION MATERIAL:	weight 2		lbs. / ft. 7 <u>.PVC</u>	Wall thickness or gauge No. 10 Asbestos-cem	.214	
1 Steel 3 Stainless Steel		5 Fiberglass		8 RMP (SR)	11 other (specify		
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS	12 None used (o		
					8 Saw cut	• /	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed w 1 Continous slot 3 Mill slot 6 Wire wra				8 Saw cut 11 None (open hole) 9 Drilled holes			
						•	
2 Louvered shutter 4 Key punc		7 Torc			10 Other (specify)		
SCREEN-PERFORATION INTERVAL	LS: from 20	ft	t. to 33	ft., Fro	om ft. to	ft.	
	from		t. to	ft., Fro	om ft. to	ft.	
GRAVEL PACK INTERVALS: from 20		ft. to 33		ft., Fro	16.		
-	from		t. to	ft., Fro			
6 GROUT MATERIAL: 1 Neat cen	ment 2 Ce	ement grout	3 Ber	ntonite	4 Other bentonite	hole plug	
	ft. to	ft. From	ft.	to	ft. From 0	ft. to 20 ft.	
What is the nearest source of possible contamination:				10 Lives		Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel:	'' 13'	Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lag	8 Sewage lagoon			Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						Apparent	
Direction from well?					How many feet?		
	THOLOGIC LOG		FROM	ТО	PLUGGING INTE	ERVALS	
0 3 topsoil							
3 16 clay							
16 22 fine sand							
22 33 grey shale							
					W. A		
					The second secon	THE STREET CONTROL OF STREET,	
7			,	<u> </u>		<u>-</u>	
ONTRACTOR'S OR LANDOWNER'S was completed on (mo/day/year)	CERTIFICATION: 111	s water well was	s (1) construc	cted, (2) recon	istructed, or (3) plugged under	er my jurisdiction and	
was completed on (mo/day/year) Water Well Contractor's License N	236	This Me	and this	record is true	to the best of my knowledge	and belief. Kansas	
(mo/day/yr)1-21-2002	10	I NIS VVai	ter Well Reco	ord was comp	leted on		
Under the business name ofH	arp Well & J	Pumo Servic	ce. Inc	by	· Inianatural Toda	S. Harp	
Officer the business frame Of				Бу	(Signature) Oxuu	O. O ray	