	Water Well Record	Form WWC-5 KSA 82a-1212		
1 LOCATION OF WATER WELL:	FRACTION Center of W 12	Section Number	Township Number	Range Number
Harvey	1/4 1/4 U. Z	1/4 19	_T 23 _S	R 1E E/W
Distance and direction frem nearest town or city-street address of well if located within city?				
Meridian & Hwy 50, 1/2 m. N., 1/4 E., S. side of Sharps Newton, Kansas				
WATER WELL OWNER: NEWTON,	CITY OF			1
RR#, ST. ADRESS, BOX #: P.O. BO	x 687		Board of Agriculture, Di	vivsion of Water Resource
CITY, STATE, ZIP CODE: Newton,	Kansas	67114	Application Number	20020008
	DEPTH OF COMPLETED WELL	33 ft. EL	EVATION:	
	Depth(s) groundwater Encountered	1 ft.	2 ft.	3 ft.
WE	CLL'S STATIC WATER LEVEL 16	FT. BELOW LAND SU	JRFACE MEASURED ON mo/day/yr	1-16-2002
NW NE	Pump test data: Well wat	ter was ft.	after hours pum	ping gpm
Est.	Yield gpm: Well wa	ter was ft.	after hours pum	ping gpm
E Bore	e Hole Diameter 12 in. to	33 ft.	and in.	to ft.
WEI	LL WATER TO BE USED AS: 5 P	ublic water supply	0	ijection well
SW SE		Oil field water supply		ther (Specify below)
	2 Irrigation 4 Industrial 7 L	awn and garden only	10 Monitoring well	
<u> </u>	s a chemical/bacteriological sample sub	-		o/day/yr sample was
Submitted Water Weit Distincted. Yes A No				
5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile		lued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify		elded/ elded/ hreaded
2 PVC 4 ABS	7 Fiberglass	SDR-26		
Blank casing Diameter 5 in.	to 20 ft., Dia	in. to	ft., Dia in.	to ft.
Casing height above land surface 12 TYPE OF SCREEN OR PERFORATION	in., weight 2.3	15 lbs. / ft. 7 <u>PVC</u>	Wall thickness or gauge No. 10 Asbestos-ceme	
1 Steel 3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 other (specify	
2 Brass 4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (op	
SCREEN OR PERFORATION OPENIN	NG ARE: 5 Gauzed	wranned	8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire w	• • •	9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)				
, Total car				
SCREEN-FERFORATION INTERVALS	_		_	ft.
GRAVEL PACK INTERVAL	from ft. to S: from 20 ft. to	ft., From		ft.
GRAVEL FACK INTERVAL	from ft. to			ft. ft.
6 GROUT MATERIAL: 1 Neat ceme		3 Bentonite	4 Other bentonite h	
	to ft. From	ft. to	ft. From 0	ft. to 20 ft.
What is the nearest source of possible con		10 Livestock pens 14 Abandon water we		
1 Septic tank 4 Lateral lin	nes 7 Pit privy	11 Fuel storage 15 Oil well/Gas well)il well/Gas well
2 Sewer lines 5 Cess pool	8 Sewage lagoon			
3 Watertight sewer lines 6 Seepage p		13 Insect	icide storage None	Apparent
Direction from well?			How many feet?	
N.M.A.W.A.M. (1911)	HOLOGIC LOG	FROM TO	PLUGGING INTE	RVALS
0 3 topsoil		 		
3 16 clay				
16 22 fine sand				
22 33 grey shale				
			· · · · · · · · · · · · · · · · · · ·	
-1	L			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and				
was completed on (mo/day/year)				
(mo/day/yr) 1-21-2002				
Under the business name of Harp Well & Pump Service, Inc by (signature) Jodd S. Harp				
		•	· · · · · · · · · · · · · · · · · · ·	/