	Water Well Record	Form WWC-5 KSA 82a-1212		
1 LOCATION OF WATER WELL:	FRACTION	Section Number	Township Number	Range Number
Harvey	Center Of W	1/4 19	<sub>T</sub> 23 <sub>S</sub>	R 1E E/W
Distance and direction frem nearest town or city stre	et address of well if located within city?			
Meridian & Hwy 50, 1/	2 m. N., 1/4 E., S. si	de of Sharps	Newton, Kansas	
WATER WELL OWNER: NEWTON,	CITY OF			\ \ \
RR#, ST. ADRESS, BOX #: P.O. BO			Board of Agriculture, Di	vivsion of Water Resource
CITY, STATE, ZIP CODE: Newton,	Kansas	67114	Application Number	20020008
LOCATE WELL'S LOCATION WITH 4	DEPTH OF COMPLETED WELL	32 ft. ELF	EVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundwater Encountered	1 ft.	2 ft.	3 ft.
1 WE	LL'S STATIC WATER LEVEL 16	FT. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	1-16-2002
		ater was ft.	after hours pum	ping gpm
Est.	Yield gpm: Well w	ater was ft.	after hours pum	Br
E Bore	e Hole Diameter 12 in.	to 32 ft.	and in.	to ft.
= "   Nei	LL WATER TO BE USED AS: 5	Public water supply	8 Air conditioning 11 In	jection well
SW SE	1 Domestic 3 Feedlot 6		•	ther (Specify below)
	2 Irrigation 4 Industrial 7	Lawn and garden only	0 Monitoring well	
Was Was	s a chemical/bacteriological sample su	bmitted to Department? Yes	No X ; If yes, m	o/day/yr sample was
<b>6</b> I	omitted	-	ter Well Disinfected? Yes	• • •
5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile		ued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cemen			elded
2 PVC 4 ABS	7 Fiberglass	SDR-26	•	hreaded
Blank casing Diameter 5 in.	to 20 ft., Dia	in. to	ft., Dia in.	to ft.
Casing height above land surface 12	in., weight 2.		Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION		7 <u>PVC</u>	10 Asbestos-ceme	
1 Steel 3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 other (specify)	•
2 Brass 4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (op	en hole)
SCREEN OR PERFORATION OPENIN	G ARE: 5 Gauze	d wrapped	8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot	6 Wire v	• • •	9 Drilled holes	•
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATION INTERVALS		to 32 ft., From	64.4	ft.
	_	,		
GRAVEL PACK INTERVALS		to ft., From to 32 ft., Fron		ft.
GRAVEE FACK INTERVAL	from ft.	•	****	ft.
6 GROUT MATERIAL: 1 Neat cemer		3 Bentonite	4 Other bentonite h	ole plug
Grout Intervals: From ft.	<u>u</u>	ft. to	_	
What is the nearest source of possible con	it. From	10 Livesto	-1	ft. to 20 ft. bandon water well
1 Septic tank 4 Lateral line	es 7 Pit privy	11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool	8 Sewage lagoo	15 On Well/Gas Well		
3 Watertight sewer lines 6 Seepage pi		13 Insecti	-1.14	Apparent
Direction from well?	•		How many feet?	
	IOLOGIC LOG	FROM TO	PLUGGING INTER	RVALS
) 3 topsoil				
17 clay				
.7 22 fine sand			·	
2 32 grey shale				
	the same and the s			
CONTRACTOR'S OR LANDOWNER'S CE	ERTIFICATION: This water well was (	1) constructed. (2) recons	tructed, or (3) plugged under	my jurisdiction and
was completed on (mo/day/year)	1-16-2002	and this record is true t	o the best of my knowledge	• •
Water Well Contractor's License No.		Well Record was comple	ted on	
(mo/day/yr) $1-21-2002$	***************************************			
Under the business name of Harp Well & Pump Service, Inc by (signature) Todd S. Harp				
				,