		Vell Record Form WWC-			
LOCATION OF WATER WELL:	FRACTION Center of	FW2	Section Number	Township Number	Range Number
Harvey			19	T 23 S	R 1E E/W
Distance and direction frem nearest town or city-street address of well if located within city?					
Sharps Drive and Meridian Newton, Kansas					
WATER WELL OWNER: NEWTON,	City of				
RR#, ST. ADRESS, BOX #: P.O.BOX	687			Board of Agriculture, Di	vivsion of Water Resource
· CITY, STATE, ZIP CODE: Newton,	Kansas			Application Number	: 20020008
	DEPTH OF COMPLETED	WELL 35	ft. ELEV	VATION:	
AN "X" IN SECTION BOX:	epth(s) groundwater Encour	ntered 1	ft.	2 ft.	3 ft.
	LL'S STATIC WATER LEV	/EL 15 FT	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	3-27-2002
NWNE	Pump test data:	Well water was	ft. a	fter hours pum	ping gpm
Est.	Yield gpm:	Well water was	ft. a	ifter hours pum	***
E Bore	Hole Diameter 12	in. to 35	ft.	and in.	to ft.
WEL	L WATER TO BE USED A	S: 5 Public water	er supply 8	Air conditioning 11 In	ijection well
1 SW SE	Domestic 3 Feedlot	6 Oil field w	ater supply 9	Dewatering 12 O	ther (Specify below)
	! Irrigation 4 Industri	al 7 Lawn and	garden only 10	Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was					
S submitted Water Well Disinfected? Yes X No					
5 TYPE OF CASING USED:	5 Wroug	ht iron 8	Concrete tile	CASING JOINTS: GI	ued X Clamped
1 Steel 3 RMP (SR)	6 Asbesto	s-Cement 9	Other (Specify be		'elded
2 PVC 4 ABS	7 Fibergla	ass S	DR-26	T	hreaded
Blank casing Diameter 5 in.	to 20 ft.,	Dia in.	to	ft., Dia in.	to ft.
Casing height above land surface 12		eight 2.35		Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION			PYC	10 Asbestos-ceme	nt
1 Steel 3 Stainless Steel	5 Fibergla	ss 8	RMP (SR)	11 other (specify)	)
2 Brass 4 Galvanized steel	6 Concrete	tile 9	ABS	12 None used (op	en hole)
SCREEN OR PERFORATION OPENING	G ARE:	5 Gauzed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATION INTERVALS: from 20 ft. to 35 ft., From ft. to ft.					
	from	ft. to	· ·		
GRAVEL PACK INTERVALS: from 20		ft. to 35	ft., From ft., From	ft. to	ft.
	from	ft. to	ft., From	ft. to	ft. ft.
6 GROUT MATERIAL: 1 Neat cemen			ntonite	4 Other bentonite h	
Grout Intervals: From ft.					
What is the nearest source of possible contamination:		11.	to ft. From 0 ft. to 20 ft. 10 Livestock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines 7 Pi		privy	11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon 12 Fertilizer stora		,	ther (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent					
Direction from well?				How many feet?	
	OLOGIC LOG	FROM	ТО	PLUGGING INTER	RVALS
0 4 topsoil					
4   18   clay					
18 25 silty sand					
25 35 shale					
			_		
			<u> </u>		
	· · · · · · · · · · · · · · · · · · ·		<u> </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and					
was completed on (mo/day/year) 3-27-2002 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No.	236 тh	is Water Well Reco	ord was complete	ed on	
(mo/day/yr)3-29-2002					
Under the business name of Harp Well & Pump Service, Inc by (signature) Todd S. Harp					