LOCAT	TON OF WA	TER WELL:	FRACTIO	N	Water Well I	Record For	m WWC-5				
•	Harvey		NW		SE _{1/4}	NW	.,,	Section Number	Township Number		Range Number
						TAM	1/4		T 23 S		R IE E/W
Distance and direction frem nearest town or city street address of well if located within city? 1300 W. 9th Newton, Kansas											
	ER WELL O										
	T. ADRESS,	ALI MAK	DEVELO	PMENT					Bourd of A	orienlture Divive	sion of Water Desaurce
	STATE, ZIP		. Jun . Kansa	.a.g 6711 <i>1</i>				67114	Board of Agriculture, Divivsion of Water Resource Application Number:		
		OCATION WITH 4			LETED WE		30			ation Number:	
	IN SECTION				er Encounter			ft. El	LEVATION:	ft.	3 ft.
t		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ 			TER LEVEL				SURFACE MEASURED ON 1		3 ft. 06/01/1998
	i	"		mp test d		ell water				ours pumpin	
'	- NX	NE	t. Yield	•		ell water		ft. ft.		ours pumpir ours pumpir	6 P
1 Mile	1 1	1 : 1 1	re Hole Dia:		12 in			ft.	and and		rg gpm to ft.
Σw		E	ELL WATE		***			er supply	8 Air conditioning		ction well
			1 Domesti		3 Feedlot			ater supply	9 Dewatering	•	er (Specify below)
	- sw	SEC	2 Irrigatio		4 Industrial			garden only	10 Monitoring well		(-1,
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was										lav/vr sample was
S submitted Water Well Disinfected? Yes X No											
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped											
1 Steel		3 RMP (SR)			6 Asbestos-C			Other (Specify	y below)	Wel	
2 PVC	!	4 ABS			7 Fiberglass		S	DR-26		Thre	eaded
Blank ca	 sing Diam	eter 5 in	. to 20		ft., Di	а	in.	to	ft., Dia	in. t	o ft.
Casing h	eight abov	ve land surface 12		in.,	-	_{ht} 2.35		lbs. / ft.	Wall thickness or ga		.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 7.PVC 10 Asbestos-cement											
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)											
2 Bras	_	4 Galvanized steel		6	Concrete til	e	9	9 ABS		e used (open	<i>'</i>
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATION INTERVALS: from 20 ft. to 30 ft., From ft. to ft.											
			fro			ft. to		ft., Fr	om	ft. to	ft.
	GRAVI	EL PACK INTERVA		m 20		ft. to	30	ft., Fr		ft. to	ft.
from ft. to ft., From ft. to ft.											
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.											
				n:	ft. From		ft.		ft. From stock pens	14 Abo	ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines								11 Fuel	14 Abandon Water Wen		
					8 Sewage lagoon				tilizer storage	15 Oil well/Gas well 16 Other (specify below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									` ' '		
l	n from we		, bu						How many feet?		
FROM	TO	Lľ	THOLOGIC	LOG			FROM	TO		NG INTERV	ALS
0 4	4	topsoil									
4	10	clay									
10	15	fine sand									
15	30	shale									
						-+					
						-+					
<u> </u>								+			
						-+		+			
						+					
		<u> </u>		·							
7 CO	JTD A CT	DP'S OR LANDOWS	CEPTIES .	ION. Thi	water well	was (4)	conct	icted (2) rece	netructed or (2) nice	ged under	my juriediation and
was completed on (mo/day/year) 06/01/1998 and this record is true to the best of my knowledge and belief. Kansas											
Water Well Contractor's License 18.6											
Water Well Contractor's License No.6											
Under the business name of											