1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212			
∴	l '	NW C*	<u>, </u>	Section Number	Township Number	Range Number	
Harvey	NE 1/4	NW 1/4 SV	1/4	28	т 23 в	R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city?							
808 Meadow Lark Lane Newton, Kansas Water Wellowner: CASHIMER John							
WATER WELL OWNER: CASHIMER, John RR#, ST. ADRESS, BOX #: 808 Meadow Lark Lane Board of Agriculture, Divivsion of Water Resource							
		k Lane			-		
	on, Kansas		110		Application Numb	er:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COM		110		EVATION:		
	Depth(s) groundwa		1	ft.	2 ft.	3 ft.	
	WELL'S STATIC WA Pump test				RFACE MEASURED ON mo/day/yr	08/03/1998	
NWNE	Est. Yield		ater was		after hours pur		
] ji	Bore Hole Diameter		ater was		after hours pur		
E E	WELL WATER TO B		o 110 Public wate:	ft.	and in.		
	1 Domestic		Oil field wa		•	Injection well Other (Specify below)	
sws	2 Irrigation		Lawn and g		12 Monitoring well	Other (Specify Below)	
	_				4		
* \	Was a chemical/bacter submitted	riological sample sub	mitted to De	-		mo/day/yr sample was	
THE OF CASING VIOLE							
1 Steel 3 RMP (SR)		5 Wrought iron 6 Asbestos-Cement		Concrete tile Other (Specify b		Glued X Clamped Welded	
2 PVC 4 ABS		7 Fiberglass	-		•	Welded Threaded	
	im 4- 110	ū		DR-26			
Blank casing Diameter 5	in. to 110	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 1 TYPE OF SCREEN OR PERFORA	.2 in. ,	weight 2.		lbs. / ft. PVC	Wall thickness or gauge No. 10 Asbestos-cen	.214	
1 Steel 3 Stainless Steel	HOW WAY EMAE.	5 Fiberglass		RMP (SR)	11 other (speci		
2 Brass 4 Galvanized stee	.i	6 Concrete tile		ABS	12 None used (
				ADS	8 Saw cut	11 None (open hole)	
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot			3 Gauzeu Wrappeu			11 None (open note)	
AV							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERV	ALS: from 30	ft.	to 110	ft., Fron	ft. to	ft.	
	from	ft.		ft., Fron		ft.	
GRAVEL PACK INTERV			to 110	ft., Fron		144	
- I North	from	ft.		ft., Fron			
6 GROUT MATERIAL: 1 Neat		ement grout	3 Be	ntonite	4 Other bentonit	e hole plug	
Grout Intervals: From 4 ft. to 24 ft. From ft. to				to 10 Livesto	ft. From	ft. to ft.	
What is the nearest source of possible contamination:		7 Pit privy	7 Did malere			Abandon water well	
1 Septic tank 4 Lateral lines				11 Fuel st	- 13	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			421		rtilizer storage 16 Other (specify below) ecticide storage		
3 Watertight sewer lines 6 Seep	age pit	9 Feedyard		15 meet	•		
Direction from well? West	LITHOLOGICLOG		TROM	1 mg T	How many feet? 40		
	LITHOLOGIC LOG		FROM	то	PLUGGING INT	ERVALS	
0 4 topsoil 4 15 clay			+	++			
15 110 shale							
							
			 				
			-				
			—				
			1				
 			1				
			1				
			1				
[7] CONTRACTOR'S OR LANDOWNE	ER'S CERTIFICATION: Th	is water well was (1	1) construc	ted, (2) reconst	ructed, or (3) plugged unde	r my jurisdiction and	
was completed on (mo/day/year							
Well Contractor's License No	Well Contractor's License No236						
Under the business name of AXMAD							