WAT	TER WELL	RECORD	Form WWC	C-5	Division of Wate	r Resources; App. No.	
		F WATER WELL:	Fraction		Section Number	Township Number	Range Number
	ounty: H	arvey	NE/4 NW/4	561/4	5	T 23 S	R / DW
		ection from nearest town	or city street address of v	vell if	`	Systems (decimal deg	grees, min. of 4 digits)
lC	located within city? 409 Wifmarsum in N. Newton				Latitude: Longitude:		
2 1		LOWNER: Jim		UIUM	Longitude:		
F	R#, St. Addre	ss, Box # : 409	L. 1.4		Datum:		
(City, State, ZIP	Code : N	Wilmarsum Kc 17	110		Method:	
3 I	3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						
	OCATION	LS 4 DEI III OF C	OMI DETED WEDE	8. 26. 26.			
	VITH AN "X"	IN Depth(s) Groundy	water Encountered (1).		ft. (2)	ft. (3)	ft.
S	SECTION BOX: WELL'S STATIC WATER LEVEL36 ft. below land surface measured on mo/day/yr73						
	N Pump test data: Well water was						
	Est. Yieldgpm: Well water wasft. afterhours pumping						
	- NW NE -	- WELL WATER 1 Domestic 3	Feedlot 6 Oil fiel	olic water o	supply 8 Air	conditioning 11 inj	her (Specify below)
w L	X	E 1 Domestic 3 2 Irrigation 4	Industrial 7 Domes	tic (lawn	& garden) 10 Moi	nitoring well	mer (specify below)
				(141111	ee garden) To Mid		
-	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
L		☐ Sample was subm	nitted	Wat	er well disinfected?	Yest No	
S							
5 T		ING USED: 5 Wro				G JOINTS: Glued	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
©PVC 4 ABS 7 Fiberglass Threaded							
Blank casing diameter 6 in. to 2.5. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 2 in., Weight 3.22 lbs./ft. Wall thickness or guage No. 1.6.9.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement (2) None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other Grout Intervals: From							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well							
		1? . 5					
FRC			OGIC LOG	FRON	M TO	PLUGGING INT	EKVALS
3		BK Clay					
10		Br & Gr Clay					
	3 106	Shale					
				-			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed (2) reconstructed as (2) always							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2							
Kansas Water Well Contractor's License No							
under the business name of Miller Drilling by (signature) in the							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							

KSA 82a-1212