WATER WELL RECORD		Form WWC-	5	Division of Wa	ater Resources; App. No.		
1 LOCATION OF WATER WELL:		Fraction		Section Number			
County: Harrey Distance and direction from nearest town or ci		sity street address of year		Global Positioning Systems (decimal degrees, min. of		R EW	
located within city	7?	_	İ		ing Systems (decimal deg		
In City N	enton 6/2 A	Utumn His	190				
2 WATER WELL	OWNER: KOITA	Bielas		T-1 4"			
RR#, St. Address City, State, ZIP C	2 DOX# 221 Wi	13.5		Datum:			
NEWLON, 1) S. 6/1/7 / Data Conection Method.							
3 LOCATE WELL LOCATION	2'S 4 DEPTH OF COM	IPLÆTED WELL	·····•		tt.		
WITH AN "X" I	X" IN Depth(s) Groundwater Encountered (1) $\stackrel{?}{\longrightarrow}$ $\stackrel{\longrightarrow}$ $\stackrel{?}{\longrightarrow}$ $\stackrel{?}{\longrightarrow}$ $\stackrel{?}{\longrightarrow}$ $\stackrel{?}{\longrightarrow}$ $\stackrel{?}{\longrightarrow}$ $\stackrel{?}{\longrightarrow}$						
SECTION BOX:							
N	Pump test data: Well water was						
	Est. Yield. 20. gpm: Well water was						
NX NE	WELL WATER TO BE USED AS: 5 Public water supply E Domestic 3 Feedlot 6 Oil field water supply E Domestic 3 Feedlot 6 Oil field water supply E Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW SE W							
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted							
Sample was submitted							
5 TYPE OF CASIN	G USED: 5 Wrough	t Iron 8 Conc	rete tile	CASI	NG JOINTS: Glued	Clamped	
	RMP (SR) 6 Asbesto			below)	Welded		
2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing diameter in to the fit, Diameter in to the fit, Diameter in to fit. Casing height above land surface in, Weight SDR 26.lbs./ft. Wall thickness or guage No. 2.14.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
rioni							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From							
Grout Intervals: What is the pearest so	From ft. to . 2		1	π. το	. π., From	π. toπ.	
1 Septic tank	4 Lateral lines		0 Livesto	ck pens 13 l	Insecticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet?							
Direction from well? FROM TO	, LITHOLOGI		FROM	TO	PLUGGING INT	ERVALS	
0 20	Clay	C LOG	TROM	10	TECCONTO INT	DIC VILLO	
20 24	Sandy Clay						
24 34	Sand						
34 70	12/11/2 18/2	· Olala		-			
37 70	Bluer Gray	Share		-			
70 72 0	rumbled Sha	ve + Son	ne l	Vater			
179 RD	Bray Sha	10					
12 0:0	gray since	-1 -					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) J							
Kansas Water Well Contractor's License No							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PLMY</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							