	WATER WEL	T KECOKD I	orm WW	/C-5 K	SA 82a-1212	2			
1 LOCATION OF WATER WELL:	FRACTION		SEC	TION NUMBER	R TOWNSHIP	NUMBER	RANGE NU	MBER	
☐ Harvey	SE 1/4	SE 1/4 NE	1/4	31	T 2,3	S	R 1E	E/W	
Distance and direction from nearest town or	city street address of well if le	ocated within city?							
SW 24th Rd. & S. Ander	rson Rd. (1 mile V	West of Old Hwy.	81 on 24	th)	Newton, Ka	ansas			
2 WATER WELL OWNER: N	EWTON, CITY O	F			•				
	O. Box 687					Board of Agric	culture, Division of Wa	ter Resource	
CITY, STATE: N	ewton, Kansas		: 71	P CODE:		Application Num	ber 20080	194	
	4 DEPTH OF COMPLE	TED MELL: 3	60 ft.	T OODL.	ELEVATION:	- phodulon ridin			
WITH AN "X" IN SECTION BOX:		TED WILL.	,		ELEVATION.	_			
N N	Depth of groundwater E		· ft.			ft.		ft.	
	WELL'S STATIC WATE	R LEVEL 12	FT. BELO	W LAND SU	IRFACE MEASU	RED ON mo/d	ay/yr: 5/2/0	8	
NW	Pump	test data: Well wa	iter was		ft. after	hours	of pumping @	gpm	
	Est. Yield:	gpm Well wa	ater was		ft. after	hours	of pumping @	gpm	
W XE	Bore Hole Diameter	12 in.	to 3	30 ft.	and	in.	to	ft.	
-	WELL WATER TO BE I	USED AS:				9. Dewaterir	11. Inject	ion well	
sw se	1. Domestic 3. Fe	edlot 5. Public wa	ater supply	7. Lawn a	and garden only	J. Dewatern	12. Other (Spe		
	2. Irrigation 4. Inc	dustrial 6. Oil field	water supply	8. Air cor	ditioning	10. Monitorin		,,	
S	Was a chemical/bacteriologic	ogical sample submitted to	Department?	YES	NO	; If yes, v	vhat mo/day/yr wa	is sample	
	submitted			Was V	Water Well Disinfe	ected?	YES NO)	
5 TYPE OF CASING USED:	5. Wrought Iro	on 7. Fiberglass	9. O	ther (Specify	below) CAS	NG JOINTS: (Glued	Threaded	
1. Steel 3. RPM	I (SR)	7. Fibergias			,			Clamped	
2. PVC 4. ABS	6. Asbestos-C	Sement 8. Concrete	tile SD	R-26				o.a.npou	
Blank casing diameter 8	in. to 30) ft., Dia.	in.	to	ft., [Dia. i	in. to	ft.	
Cosing height shows land surface:	12 in								
Casing height above land surface:	,	Weight:	5.52 II	bs. / ft.	Wall this	ckness or gaug	e No332		
TYPE OF SCREEN OR PERFORAT		7.00			44 04	(::			
1. Steel 3. Stainless Ste		7. PVC	9. A			er (specify)			
2. Brass 4. Galvanized	Concrete Tile	8. RMP (SR)	10. A	sbestos-Cer	nent 12. Nor	ne used (open	hole)		
SCREEN OR PERFORATION OPE	NINGS ARE:								
1. Continuous slot 3. Mi	ill slot 5. Ga	uzed wrapped	7. To	rch cut	9. Drille	ed holes	11. None (op	en hole)	
2. Louvered shutter 4. Ke	w nunahad 6 Wii	re wrapped	0 80	w cut	40 Otho	z (anacińs)		-	
2. Louvered shader 4. Ke	ey punched 6. Wir	ie wrappeu	0. 3a	WCut	TO. Othe	r (specify)			
SCREEN - PERFORATION INTERV	AL From	20 ft. to	30	ft.,	From	ft.	to	ft.	
	From	ft. to	.	ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVAL	S: From	20 ft. t	o 30	ft.,	From				
- CHANGE THORITIES AND A				-		ft.	to	ft.	
	From	ft. t	0	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. N	eat cement	2. Cement Grout	3	3. Bentonite	,	Other bent	onite hole plus	g	
Grout Intervals: From	0 ft. to	20 ft., From	ft.	to	ft.,	From	ft. to	ft.	
What is the nearest source of possible					·				
1. Septic tank 4. La	1. Septic tank 4. Lateral lines 7. Pit privy 10.			ivestock pens 13. Insecticide storage 15. Oil well/Gas well				s well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11			11. Fuel sto	. Fuel storage 14. Abando			on water well 16. Other (specify below)		
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Appare						parent			
Direction from well?	opugo pit	•			How ma	nv feet?			
From To	LITHOLOGIC	IOG	From	То	110111110	LITHOLO	GIC LOG		
0 3 topsoil	LITTIOLOGIO		110111	10		LITTIOLO	OIC LOG		
3 10 clay			1						
			+	 					
10 30 fine sand									
7									
7 Contractor's or Landowner's Co	ertification: This water we	ell was 1. constructe	d) 2. re	constructed	1 or 3. p	olugged	under my jurisdictio	on and	
7 Contractor's or Landowner's Cowas completed on (mo/day/year)	ertification: This water we 5-2-2008				d or 3. p		under my jurisdictio	on and	
was completed on (mo/day/year)	5-2-2008	and this record	I is true to the	e best of my	knowledge and b	elief.		on and	
	5-2-2008 icense No. 236	and this record	I is true to the	e best of my	knowledge and b	elief.	under my jurisdiction	on and	