WATER WELL RECORD Form WWC-5 KSA 82a-1212
1 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER
Harvey SE 1/4 SE 1/4 NE 1/4 31 T 23 S R 1E E/W
Distance and direction from nearest town or city street address of well if located within city? SW 36th St. & Anderson Rd. 1/2 mile North Newton, Kansas (5 logs on 1 permit)
2 WATER WELL OWNER: NEWTON, CITY OF
RR#,ST. ADDRESS,BOX #: P.O. Box 687
CITY, STATE: Newton, Kansas ZIP CODE: 67114 Application Number: 20080194
3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: 38 ft. ELEVATION:
Depth of groundwater Encountered: ft. ft.
WELL'S STATIC WATER LEVEL 12 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 10/10/08
Pump test data: Well water was ft. after hours of pumping @ gpr
Est. Yield: gpm Well water was ft. after hours of pumping @ gpn Est. Yield: gpm Well water was ft. and in. to ft.
E Bore Hole Diameter 12 in. to 38 ft. and in. to ft. WELL WATER TO BE USED AS: 9. Dewatering 11. Injection well
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well Was a chemical/bacteriological sample submitted to Department? VES NO ; if yes, what mo/day/yr was sample
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted submitted was Water Well Disinfected? YES NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded
1. Steel 3. RPM (SR) Welded Clamped
2. PVC 4. ABS 6. Aspestos-cernent 6. Contrate tile
Casing height above land surface: 12 in., Weight: 5.52 lbs. / ft. Wall thickness or gauge No332 TYPE OF SCREEN OR PERFORATION MATERIAL:
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)
SCREEN - PERFORATION INTERVAL From 15 ft. to 35 ft., From ft. to ft.
From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 15 ft. to 38 ft., From ft. to ft.
From ft. to ft., From ft. to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug
Grout Intervals: From 0 ft. to 15 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination:
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent
Direction from well? How many feet? From To LITHOLOGIC LOG From To LITHOLOGIC LOG
From To LITHOLOGIC LOG From To LITHOLOGIC LOG
3 10 clay
10 28 fine sand
28 38 shale
·
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and
was completed on (mo/day/year) 10-10-2008 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/13/2008
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp