	WATER WELL F	RECORD	Form WW	/C-5 K	SA 82a-1212	2		
1 LOCATION OF WATER WELL:	FRACTION SE 1/4 SE	ALL NE	1	ION NUMBER			RANGE NU	
Harvey Distance and direction from nearest town or city:		1/4 NE	1/4	31	T 23	S	R 1E	E/W
S. Anderson Rd. North & S		-	ile East	1	Newton, Kans	as (5 lo	gs on 1 pern	nit)
L=1	TON, CITY OF		_			Board of Agric	culture, Division of W	Jaier Resource
	Box 687						2008	10194
	DEPTH OF COMPAND	WELL: 3	ZIF 38 ft.	CODE:	ELEVATION:	Application Num	ber: 2000	0124
WITH AN "X" IN SECTION BOX:	oth of groundwater Encour		ft.		ELEVATION:	ft.		ft.
	ELL'S STATIC WATER LE			W LAND SU	JRFACE MEASUR		ay/yr;	
NWNE	Pump test	data: Well wa	ater was		ft. after		of pumping @	gpm
₩ X <sub>E</sub> Bo	Est. Yield: gpn		ater was	_	ft. after		of pumping @	gpm
≥ W Bo	ore Hole Diameter ELL WATER <b>HOUS</b> E USED	in. n AS:	to	ft.	. and	in.	to	ft. ction well
	Domestic 3. Feedlot		ater supply	7. Lawn a	and garden only	9 Dewaterin	12. Other (Sp	pecify below)
	Irrigation 4. Industr		water supply		Turner mig	10. Monitorin	i <b>g well</b> vhat mo/day/yr w	vas samnle
	/as a chemical/bacteriological : bmitted	sample submitted to	Department?	YES Was V	NO Nater Well Disinfe			NO
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specify	/ below) CASIN	IG JOINTS:	Glued	Threaded
1. Steel 3. RPM (SR) Welded Clamped								
2. PVC 4. ABS Blank casing diameter 8		ft., Dia.	in.	to	ft., D	ia. i	n. to	ft.
Casing height active land surface:	36 in	Weight:		s. / ft,				11,
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS - 11. Other (specify) N/A								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)  2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A								pen noie,
2. Louvered shutter 4. Key pu	unched 6. Wire wra					(specify) 14/	Α	
SCREEN - PERFORATION INTERVAL	From		0	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From From		o to	ft., ft.,	From From	ft. ft.	to to	ft. ft.
GRAVEET ACKTIVIETVALO.	From		to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1 Neat		ement Grout		. Bentonite			onite hole plu	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug  Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible co	7 Dit muit	vv	10. Livestoci	k pens	13. Insectic	de storage	15. Oil well/G	as well
1. Septic tank 4. Lateral lines			11. Fuel stor	rage	14. Abandon water well 16. Other (specify below)			
2. Sewer lines 5. Cess Pool 6. Sewage layout 11. Full storage 14. Abaildon water we 3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage							None Apparent	
Direction from well?					How man			
From To	LITHOLOGIC LOC	3	From	То			GIC LOG	
				3 compacted clay 23 bentonite hole plug				
			23	38	chlorinated g			
				<u> </u>				
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and								
was completed on (mo/day/year) 12/3/2008 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/5/2008								
under the business name of Harp Well and Pump Service by (signature)  Todd S. Harp								