WATER WELL RECORD F	orm WWC-5	KSA 82a-1212	
1 LOCATION OF WATER WELL: FRACTION	SECTION NUMB		RANGE NUMBER
	1/4 31	T 23 S	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?		// · · · · · · · · · · · · · · · · · ·	
	wton, Kansas	(4 logs on 1 permit)	
WATER WELL OWNER: NEWTON, CITY OF		Board of Ag	riculture, Division of Water Resource
RR#.ST. ADDRESS,BOX #. CITY, STATE: Newton, Kansas	710 0005	Annianian Ma	20080194
	ZIP CODE:	Application Nu ELEVATION:	imper: 2000017.
WITH AN "X" IN SECTION BOX			
N Depth of groundwater Encountered:	ft.	ft.	ft.
WELL'S STATIC WATER LEVEL 15 FT BELOW LAND SURFACE MEASURED ON mo/day/yr. 12 - 3 - 08			
Pump test data: Well wat			rs of pumping @ gpm
Est. Yield: gpm Well wat Bore Hole Diameter in.			rs of pumping @ gpm
Bore Hole Diameter in. WELL WATER POSSE USED AS:	to	ft. and in.	to ft.
WELL WATER WASE USED AS. 1. Domestic 3. Feedlot 5. Public wat	ter supply 7. Lawr	and garden only 9. Dewater	11. Injection well 12. Other (Specify below)
2. Irrigation 4. Industrial 6. Oil field w	rater supply 8. Air co	onditioning 10. Monitor	
S Was a chemical/bacteriological sample submitted to D			what mo/day/yr was sample
submitted	Was	Water Well Disinfected?	(YES) NO
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other (Spec	ify below) CASING JOINTS:	Glued Threaded
1. Steel 3. RPM (SR) 6. Asbestos-Cement 8. Concrete til	ile		Welded Clamped
2. PVC 4. AB3		, B:	
Blank casing diameter 8 in. to ft., Dia.	in. to	ft., Dia.	in. to ft.
Casing height beha land surface: 36 in., Weight:	lbs. / ft.	Wall thickness or gat	ige No.
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7, PVC	9. ABS	11. Other (specify)	N/A
1. Steel S. Stammad Stad.			
SCREEN OR PERFORATION OPENINGS ARE:	~ ~	O Dalle di balan	44 Name (amon hole)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut	10. Other (specify)	N/A
SCREEN - PERFORATION INTERVAL From ft. to	ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS: From ft. to) ft.,	From ft.	to ft.
From ft. to	•	From ft.	
		17.	
1. Heat center 2. Selficit Group			
Grout Intervals: From 3 ft. to 23 ft., From What is the nearest source of possible contamination:	ft. to	ft., From	ft. to ft.
1. Septic tank 4. Lateral lines 7. Pit privy 1	0. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 1	11. Fuel storage	14. Abandon water wel	-
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent			
Direction from well?		How many feet?	
From To LITHOLOGIC LOG	From To	LITHOL	OGIC LOG
	0 3	compacted topsoil	
	3 23	bentonite hole plug	
	23 37	chlorinated gravel	
	ļ		
	 		
	 	 	
7 Contractor's or Landowner's Certification: This water well was 1. constructed	d 2 reconstruct	ed or 3. plugged	under my jurisdiction and
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/5/2008			
under the business name of Harp Well and Pump Service by (signature) Todd S. Horb			