WATER WELL RECORD Form WWC-5	KSA 82a-1212
1 LOCATION OF WATER WELL: FRACTION SECTION NUM	
Harvey SW 1/4 SW 1/4 NE 1/4 19	T 23 S R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?	
Hwy. 50 and Anderson Rd., 1.4 mile West, 1/4 mile North Newton, Kar	nsas (4 plugs on 1 permit)
2 WATER WELL OWNER: NEWTON, CITY OF	Board of Agriculture, Division of Water Resource
RR#,ST, ADDRESS,BOX #. 806 SW 14th St.	
CITY, STATE: Newton, Kansas ZIP CODE	E: Application Number: 20090018
3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: 30 ft.	ELEVATION:
WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft.	ft. ft.
	D SURFACE MEASURED ON mo/day/yr: 1/30/09
Pump test data: Well water was	ft. after hours of pumping @ gpm
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft. after hours of pumping @ gpm
Est. Yield: gpm Well water was Bore Hole Diameter 12 in. to 30	ft. and in, to ft.
WELL WATER WASE USED AS:	9. Dewatering 11. Injection well
SW SE 1. Domestic 3. Feedlot 5. Public water supply 7. La	wn and garden only 12. Other (Specify below)
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air	conditioning 10. Monitoring well
S Was a chemical/bacteriological sample submitted to Department? YES	
	as Water Well Disinfected? YES NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Sp.	ecify below) CASING JOINTS: Glued Threaded
1. Steel 3. RPM (SR) 3. RPM (SR) 6. Asbestos-Cement 8. Concrete tile	Welded Clamped
2. FVC 4. AB3	
Blank casing diameter 5 in. to ft., Dia. in. to	ft., Dia. in. to ft.
Casing height act and surface: 36 in., Weight: lbs. / ft.	Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	NIA
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS	11. Other (specify) N/A
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos	-Cement 12. None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut	9. Drilled holes 11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut	10. Other (specify) $\mathrm{N/A}$
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut	io. Other (specify) TVA
SCREEN - PERFORATION INTERVAL From ft. to ft.,	From ft. to ft.
From ft. to ft.,	From ft. to ft.
GRAVEL PACK INTERVALS: From ft. to ft.,	From ft. to ft.
From ft. to ft.,	From ft. to ft.
	1. 10 11.
integration 2. Sement Group	mile bentomite note prag
Grout Intervals: From ft. to ft., From ft. What is the nearest source of possible contamination:	to ft., From 3 ft. to 23 ft.
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens	13. Insecticide storage 15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage	14. Abandon water well 16. Other (specify below)
2. Sewer lines 0. Start out	None Annavant
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well?	How many feet?
From To LITHOLOGIC LOG From To	
0 3	
3 23	compacted clay bentonite hole plug
23 30	
	Similar material graves
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstru	acted or 3. plugged under my jurisdiction and
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed was completed on (mo/day/year) 1-30-2009 and this record is true to the best of	
1 20 2000	my knowledge and belief.
was completed on (mo/day/year) 1-30-2009 and this record is true to the best of	my knowledge and belief. leted on (mo/day/year) 2/4/2009