WATER WELL REC	CORD	Form W	WC-5	Division of W	ater Resources App. N	o. [
1 LOCATION OF WA		Fraction		Section Number			
County: Harre	24	Se4So4 No	2 ½ ½		T 23 S	R / ME W	
Street/Rural Address o			ing System (GPS) ir				
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
				Elevation: (in decimal degrees)			
a water well owner.				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: David Brisco RR#, Street Address, Box #: 1805 Fire box				Collection Method:			
City, State, ZIP Code				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, built, 211 code	Neu	ston tol	2114	Est. Accuracy:] <3 m, \[\] 3-5 m, \[\]	5-15 m, \square >15 m	
3 LOCATE WELL		, ,	الملا)			
WITH AN "X" IN SECTION BOX:	4 DEPTH OF	COMPLETED WEL			the same	2) 4	
SECTION BOX:	OX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr						
	Pump test data: Well water wasft. after						
W - NW - NE - EST. YIELD 5-10. gpm Well water was						ping gpm	
1 1 1 1 1 E	Bore Hole Diameter				ft., andin. toft.		
	WELL WATER TO BE USED AS: ☐ Public water				Geothermal 🔲 I	njection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? Yes No							
5 TYPE OF CASING USED: Steel VPVC Other							
CASING JOINTS: XX Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surfacein., Weightlbs./ft., Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel VPVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From 6.0 ft.							
From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
☐ Sewer lines		_	ned water well				
M Watertight sewer lines. □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well Direction from well □ Distance f							
FROM TO	LITHOLOG		FROM			JGGING INTERVALS	
0 3 TOP		ile bee	1 Itom	TO DITTIO	DOG (COIL.) OF TEC	GOING INTERVINES	
3 11 Sa	nd						
11 65 311	ve Sha	le					
10 10 0	11010	0) (0) []					
65 67 Cru	mbles 2	Place + Wa	vier				
67 80 Gra	zy Sha	10					
0 0 0 0	y - 11 w						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was a constructed, a reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) . 6							
Kansas Water Well Contractor's License No							
under the business name of							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
http://www.kdnexs.gov/waterweii/index.ntml. KSA 82a-1212							