	WATER W	ELL RECORD	Form '	WWC-5	KSA 82a-12	12			
1 LOCATION OF WATER WELL: FRACTION				SECTION NUMBER TOWNSHIP NUMBER					
Harvey Distance and direction from nearest to	SE 1/4		NW 1/4	27	T 2	23 S	R 1E	E/W	
SE 12th & Spencer, 1	•	•	Newton	, Kansas	(8 logs on 1	permit)			
2 WATER WELL OWNER: NEWTON, CITY OF									
RR#,ST. ADDRESS,BOX #:	201 E. 6th					Board of Agri	culture, Division of Wa		
CITY, STATE:	Newton, Kansas			ZIP CODE:		Application Num	nber: 20100	273	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COME	PLETED WELL:	30	ft.	ELEVATION:				
N N	Depth of groundwate		_	ft.		ft.		ft.	
	WELL'S STATIC W			ELOW LAND S		SURED ON mo/d	lay/yr: 7/9/1	0	
NW NE	l [ell water was		ft. after		of pumping @	gpm	
Wile w	Est. Yield: Bore Hole Diamete	1.0	ell water was/	o 30 f	ft. after ft. and	nours in.	of pumping @ to	gpm ft.	
7	WELL WATER TO E		·			9. Dewateri			
swse	1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)								
	1 1 -		field water su		onditioning	10. Monitorin	ng well what mo/day/yr wa	e samnle	
S	submitted	eriological sample submit	tted to Departme		Water Well Disi		YES NO		
5 TYPE OF CASING USED); 5 Wrough	t Iron 7 Fibe	ralass	9. Other (Specif	fy below) CA	SING JOINTS:	Glued	Threaded	
1. Steel 3. RPM (SR) Welded Clamped									
	ABS 6. Asbesto	••							
Blank casing diameter	5 in. to	20 ft., Di		n. to	ft.,	Dia.	in. to	ft.	
Casing height above land surfa		Weigh	nt: 2.35	lbs. / ft.	Wall	hickness or gaug	ge No214		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)								en hole)	
2. Louvered shutter	4. Key punched 6.	Wire wrapped		S. Saw cut	10. Ot	her (specify)			
SCREEN - PERFORATION INTE	ERVAL From	20 ft.	to 3	0 ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
GRAVEL PACK INTER	VALS: From	20 ft.	to 3	0 ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS:	1. Neat cement	2. Cement Grou	t	3. Bentonit	e		onite hole plus		
Grout Intervals: From 0 ft. to 20 ft., From			rom	ft. to	ft.,	From	ft. to	∍ ft.	
What is the nearest source of possible contamination: 1 South tank 4 Lateral lines 7. Pit privy 1			10. Live	stock pens	13. Insecticide storage		15. Oil well/Ga	s well	
1. Septic tank 4. Lateral lines				storage	14. Abandon water well		16. Other (specify below)		
2. Sewer lines 5. Cess Pool None App.									
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12 Direction from well?				mizer storage	How n	nany feet?			
From To	LITHOLOGI	C LOG	Fro	m To			GIC LOG		
0 3 topsoil									
3 11 clay					-				
11 30 fine sar	ıd				 				
									
7 Contractor's or Landowner	's Certification: This water	r well was 1. const	ructed 2.	reconstructe	ed or 3,	plugged	under my jurisdictio	n and	
was completed on (mo/day/year) 7/9/2010 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 7/12/2010									
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb									