WATER WELL RECORD		Form WWC-5		D	Division of Water Resources App. No.					
1 LOCATION OF WATER WELL:		Fraction		Sect	ion Number	Township No.	. Range Number			
County: Harvey		5W1/5W1/4_Sc	2 1/4 1/4		20	T 23 S	R	<b>⊠</b> E □W		
Street/Rural Address of Well Location;						g System (GPS) i				
from nearest town or intersection: If at owner's address, check here				Long	Latitude:					
East Well  WATER WELL OWNER: Asbury Park RR#, Street Address, Box #: 200 3 w 14 sh City, State, ZIP Code Newton, Kg, 67/14				Elev	Elevation:					
2 WATER WELL OWNER: ACLUMY Park				- Datu	Datum: WGS 84, NAD 83, NAD 27 Collection Method:					
RR#, Street Address, Box #:				Cone	GPS unit (Make/Model:)					
City, State, ZIP Code : 200					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
3 LOCATE WELL	NE	WEON, TOSI	01117	Est.	Accuracy: [ <	<3 m, ☐ 3-5 m, ☐	] 5-15 m,	'>15 m		
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L		ft.					
SECTION BOX:	Depth(s) Groundwater Encountered (1) (2) ft. (3) WELL'S STATIC WATER LEVEL (2) ft. below land surface measured on mo/day/yr. 7 - 1 - 14									
WELL'S STATIC WATER LEVEL. Aft. below land surface measured on mo/day/yr								-110		
EST VIELD 20 Well-mater and					ft. after hours pumping gpm					
W NW NE E	Bore Hole Dian	gpm, Well water was								
	TO BE USED AS: Public water supply Geothermal Injection well									
Domestic Feedlot Oil field water supply Dewatering Other (Spe										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well										
S Was a chemical/bacteriological sample submitted to Depa						Yes No				
mile	• • • • • • • • • • • • • • • • • • • •	••••								
1 mile  Water well disinfected?										
CASING JOINTS: A.Glued  Clamped  Welded  Threaded										
Casing diameter										
Casing height above land surfacein., Weight UK.26lbs./ft., Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel       ☐ Stainless Steel       ☐ Other (Specify)         ☐ Brass       ☐ Galvanized Steel       ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.										
From										
GRAVEL PACK INTERVALS: From										
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
						her (specify	y below)			
Sewer lines Cesspool  Watertight sewer lines Seepage p										
Direction from well		pit	Fertilizer s		Oil well/ga H			•••••		
FROM TO	LITHOLOG		FROM	TO		OG (cont.) or PLU	IGGING	INTERVALS		
	110 w CA					(*****) <u></u>				
5 54 BI	ve Sha	10								
58 61 Cr	un 101	Shalesh	120.50	<u> </u>						
30 01 01	mbles	S NOW I C. A VI	JUL E							
61 70 Gr	ay Sha	-le								
		•								
7 CONTRACTOR'S O	R I ANDOWNE	D'S CEDTIFICATIO	N. This wet	er well	Was Noonst	noted [] recent	nuoted on	□ plugged		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, $\Box$ reconstructed, or $\Box$ plugged under my jurisdiction and was completed on (mp/day/year)										
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) 3										
under the business name of Dac Ahus by (signature) by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5522. Se	nd one copy to WAT									
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212										