WATER WELL RECORD	Form WWC	C -5	Division of Water	Resources App. No),
1 LOCATION OF WATER WELL:	Fraction		Section Number	Township No.	Range Number
County: Harrey	SW4 Ne4 Ny/4			T 23 S	R $AE \cup W$
Street/Rural Address of Well Location;			Global Positioning		
from nearest town or intersection: If at owner's address, check here			Latitude: (in decimal degrees)		
			Longitude: (in decimal degrees) Elevation:		
21	.0.14	1	Datum: WGS 84	I, □ NAD 83, □	NAD 27
2 WATER WELL OWNER: Chris Vaver Ka RR#, Street Address, Box #: 414 Woodside			Collection Method:		
City, State, ZIP Code : 414 Woodside			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
N. Newton, Ks 67/17 Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m					5-15 m. \square >15 m
5 LUCATE WELL					
	COMPLETED WELL	90	ft.	→ Y1	
SECTION BOX: Depth(s) Groundwater Encountered (1)					
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 9-24-10. Pump test data: Well water was					
EST. YIELD 5-10. gpm Well water was ft. after hours pumping gpm					
W Bore Hole Diameter in. to					
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Irrigation □ Industrial Domestic-lawn & garden □ Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes And Yor sample was submitted					
S If yes, mo/day/yr sample was submitted					
5 TYPE OF CASING USED: Steel PVC Other Other					
Casing diameter in to ft Diameter in to ft Diameter in to ft					
CASING JOINTS: Qued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight SDP 16. lbs./ft., Wall thickness or gauge No. Q./4.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 3 ft., From 70 ft. to 90 ft.					
SCREEN-PERFORATED INTERVALS: From					
From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other					
Grout Intervals: From					
What is the nearest source of possible contamination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
Sewer lines					
Direction from well			om well		
FROM TO LITHOLOG	GIC LOG F	ROM '	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS
0 15 Clay					
14 40 8					
16 22 Sand					
22 65 Blue Shall	P				
22 510 2 S 1101					,
65 69 Gray Sha	10				
69 70 Crumbled Shale - Passible Water					
70 90 Gray Shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year)					
under the business name of Backhys. Dryl. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					