WATER WELL RECORD	Form WWC-	-5 Di		Resources App. No		
1 LOCATION OF WATER WELL: County: TYP V &M	Fraction SW NW	Section 1/4	on Number	Township No.	Range Nupriber R \( \bigcup E \) \( \bigcup W \)	
Street/Rural Address of Well Location	n; if unknown, distance & dire		al Positioning	System (GPS) int		
from nearest town or intersection: If	at owner's address, check here	□. Latitı			(in decimal degrees)	
					(in decimal degrees)	
	- 1 \ . 1 \	Datur	n: WGS 84	1, □ NAD 83, □	 NAD 27	
2 WATER WELL OWNER: Gany Livingood RR#, Street Address, Box #: 518 Autumn Clen 4.			Collection Method:  GPS unit (Make/Model:)			
City, State, ZIP Code : Newton KS		<b>**</b>	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	uton KS	Est. A	ccuracy: <	3 m, 3-5 m,	5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL	100	A			
SECTION BOX: Depth(s) Gro	undwater Encountered (1)	ft.	(2)	ft. (3	3) ft.	
N WELL'S STA	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr					
l ladiane   nom verne n	Pump test data: Well water wasft. after					
NW NE EST. YIELD Bore Hole Di	Bore Hole Diameter					
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
1 1SW1SE1 1 —	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
s If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? ■ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other Other						
CASING JOINTS: A Glued Clamped Weided Infreaded  Casing diameter 5 in to 700 ft Diameter in to ft Diameter in to ft.						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fin. to f						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel     ☐ Stainless Steel     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to 100 ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 24						
From ft. to ft., From ft. to ft.  6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible co						
☐ Septic tank     ☐ Lateral lines     ☐ Pit privy     ☐ Livestock pens     ☐ Insecticide storage     ☐ Other (specify below)       ☐ Sewer lines     ☐ Cesspool     ☐ Sewage lagoon     ☐ Fuel storage     ☐ Abandoned water well						
Watertight sewer lines   Seepage pit   Feedyard   Fertilizer storage  Oil well/gas well						
Direction from well Last		istance from w				
FROM TO LITHOL		OM TO	LITHO, LO	JG (cont.) or PLU	GGING INTERVALS	
2 19 Clay	1 1					
19 24 Fine San	d					
24 100 Shale						
17773314						
7 CONTRACTOR'S OR LANDOWA	EDIS CEDTIFICATION T	hig water wall -	was M sonst-	ucted Treconst	oted or Dalugged	
under my jurisdiction and was completed on (mo/day/year) .1.2.2.2.1.0 and this record is true to the best of my knowledge and belief						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year)						
under the business name of						
INSTRUCTIONS: Use typewriter or ball point (white, blue, pink) to Kansas Department of He						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						