WATER WELL R	ECORD	Form W	WC-5	Division of	of Water	Resources App. No	).	
1 LOCATION OF WATER WELL:		Fraction		Section Nur	mber	Township No.	Range Number	
County: Harr	e¥	Ne 4Hw 4SU	1/4 1/4			т 23 в	R / DE W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here Latitude:								
					Longitude: (in decimal degrees)			
					Elevation:   <u>Datum</u> :			
2 WATER WELL OWNER: David Groevzen				Collection Method:				
2 WATER WELL OWNER: Paul Goerzen RR#, Street Address, Box #: 209 Wheat Ridge On				GPS unit (Make/Model:)				
City, State, ZIP Code : Newton, Kg 67114				Digital Map/1 hoto, Topographic Map, Thank Survey				
	NEWL	on, Ka by	<i>'14</i>	Est. Accuracy	y:	3 m, ∐ 3-5 m, ∐	5-15 m,	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	I 45-		ft			
SECTION BOX:								
N	WELL'S STATIC WATER LEVEL. 20ft. below land surface measured on mo/day/yr - 12-11							
	Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELDgpm Well water was								
W        E   Bore Hole Diameter								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Sw_   SE_     Domestic   Feedior   On next water supply   Dewatering   Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
s If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
Casing diameter 3 in to 4 ft Diameter in to ft Diameter in to ft								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 3.5 ft. to 9.5 ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:  Septic_tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Sewer lines	Cesspool	Sewage lagoon	Abandoned water well					
	er lines   Seepage p	oit   Feedyard	Fertilizer st		l well/gas		•••••	
Direction from well				from well	<u> </u>			
FROM TO	LITHOLOG		FROM	TO LIT	HO. LO	OG (cont.) or PLU	GGING INTERVALS	
0 15 YE	2110W Clay	1 Shale						
11-14-12	IVE Sha	/->			******************	***************************************		
15 65 3	IVE Sha	<u> </u>						
65 66 S	ome Wat	سيرسي					· · ·	
05 00 5	ome was	<u></u>						
66 95 G1	ay Shall							
60 19 61	wy Snai							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)								
under the business name of Backhus Dry (signature) by (signature) by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522.	Send one copy to WAT						onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								