WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WAT		Fraction 4/4/10	1/4 S @ 1/	Secti	on Number	Township No. T 23 S	Range Number R	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
							(in decimal degrees)	
					Longitude: (in decimal degrees) Elevation:			
					1000: n:	4 П NAD 83 П	 NAD 27	
2 WATER WELL OWNER: Lester Sny Der				Collec	Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 2005 Depot					GPS unit (Make/Model:)			
2 WATER WELL OWNER: Lester Sny Der RR#, Street Address, Box #: 2005 Depot City, State, ZIP Code : Newton, Ks67/14				Est A	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL			· · · · · · · · · · · · · · · · · · ·	1,2		J 111, LJ	5 15 III, 7 15 III	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECTION BOX: I	3 LOCATE WELL WITH AN "X" IN SECTION BOX: N 4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered (1)							
Pump test data: Well water was								
EST. YIELD. Span., Well water was								
W E Bore Hole Diameter								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSWSW Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes ANO								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Conditions stot								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to 6.5 ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Watertight sewer lines Seepage pit Feedyard Fertilizer stor								
Direction from well	. /	it Feedyard	Fertilizer : Distance					
FROM TO	LITHOLOG		FROM	TO			GGING INTERVALS	
0 10 Cla	1							
10 18 San	<u>d</u>							
18 55 Blue	e Shall	<i>P</i>						
		a						
53 56 Crum	bled S	have, Wat	en					
56 65 Gra	y Sha	18						
7 CONTRACTOR'S OR I	LANDOWNER	'S CEDTIFICATION	N. Thig was	or mall v	l constitu	roted [] maganatus	acted on Malace at	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was —emstructed, — reconstructed, or — plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief								
under my jurisdiction and was completed on (mo/day/year)								
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send http://www.kdheks.gov/waterwell/	one copy to WAT	ER WELL OWNER and r	etain one for	your recor	ds. Include fee	of \$5.00 for each co	onstructed well. Visit us at	
KSA 82a-1212								