WATER WELL RECORD	Form WWC-5	L	Division of Wate:	r Resources App. N	lo.	
1 LOCATION OF WATER WELL: County: Harry	Fraction 1/4 N & 1/4 N W 1/4 S	Sect	ion Yumber	Township No. T 23 S	Range Number R W	
Street/Rural Address of Well Location; in	ion / Glob	al Positioning	System (GPS) in			
from nearest town or intersection: If at owner's address, check here			Latitude: (in decimal degrees)			
		Lon	Longitude: (in decimal degrees)			
Normandy 2 WATER WELL OWNER: Dennis High Smith RR#, Street Address, Box #: 715 N. Main City, State, ZIP Code : Newton to 67114 3 LOCATE WELL		Elev	Elevation:			
2 WATER WELL OWNER: Down: Q 4:010 m: th		Datu	Datum: WGS 84, NAD 83, NAD 27			
RR# Street Address Box #: A . A . A			Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : 1/35 N. Main			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
New	ton to 67114	Est.] 5-15 m, \square >15 m	
3 LOCATE WELL	··· <i>y</i> ·· · · · · · · ·	76				
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL		ft.	20 .		
SECTION BOX: Depth(s) Ground N WELL'S STATIO	4 DEPTH OF COMPLETED WELL ft.					
WELL'S STATIO	C WATER LEVEL 3.10	It. below	land surface n	neasured on mo/d	lay/yr	
Pump	test data: Well water was		it. aiter	nours pum	ping gpm	
W NW NE Bore Hole Diame	EST. YIELD. 20gpm. Well water was					
Domestic Deadlet Delified water symply Devetoring Dether (Specify below)						
SW - SE - Domestic Feedlot Off fleat water supply Dewatering Other (specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes You						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Yes No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS:						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ DPVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Asaw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 3.6 ft. to 3.7 ft., From 60 ft. to 76 ft.						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
		stock pens	Insecticide	storage	ner (specify below)	
Sewertines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Direction from well Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well						
FROM TO LITHOLOGI			LITHO LO	G (cont.) or PLI	JGGING INTERVALS	
0 3 top Soil	C E C C T K C	10	EIIIO. EC	od (com.) oi i be	OGGING INTERVALS	
o s inpeni						
3 35- Clay						
35 45 Sand						
45 70 Blue Shale						
70 21 Possite War	ter					
CI DI D CI	-					
71 76 Gray Shale	C CEDTIFICATION. This			~ 		
7 CONTRACTOR'S OR'LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)						
under the business name of Backhua Dr. 111 and by (signature) Tour Backhua						
INSTRUCTIONS : Use typewriter or ball point pen.	PLEASE PRESS FIRMLY and PRI	<u>'NT</u> clearly. Pl	ease fill in blanks	and check the correc	t answers. Send three copies	
(white, blue, pink) to Kansas Department of Health a	nd Environment, Bureau of Water,	Geology Sect	ion, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATE http://www.kdheks.gov/waterwell/index.html.	K WELL OWNER and retain one	tor your reco	orus. Include <u>fee</u>	or \$5.00 for each c	constructed well. Visit us at	
KSA 82a-1212						