WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WA		Fraction 1/2e 1/4 No		Secti	on Number	Township No.	Range Number R	
Street/Rural Address	of Well Location:					System (GPS) in		
from nearest town or intersection: If at owner's address, check here								
,					Longitude: (in decimal degrees)			
					Elevation:			
					<u>n</u> : WGS 84	4, 🔲 NAD 83, 🗀	NAD 27	
2 WATER WELL OWNER: Tris Hofer RR#, Street Address, Box #: 404 Sherman Dr. City State ZIP Code				Colle	Collection Method:			
RR#, Street Address,	Box #: 404 S	sherman	Ur,		GPS unit (Make/Model:)			
City, State, ZIP Code Newton, Ks 67/14					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
2 LOCATE WELL	Wew	Con, TIS 6	1114		Accuracy: \(\) <	3 m, ∐ 3-5 m, ∐	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEI	I fo	/	ft			
SECTION BOX:	Denth(s) Ground	dwater Encountered	(1) 7	<i>p</i> ft	(2)	ft (3) #	
N								
Pump test data: Well water wasft. after hours pumping								
EST. YIELD. gpp. Well water was. ft. after. hours pumping.								
W EST. YIELD Well water was							ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							niection well	
Demostic D Foodlet D Oil Follows annulus D Demostration D Oile of Consider to Land								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected?								
5 TYPE OF CASING USED; Steel Z PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 5 in to 60 ft Diameter in to ft Diameter in to 6								
Casing diameter in. to in. Weight S.D.R. 26 lbs./ft., Wall thickness or gauge No. 12/4								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch out Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
GRAVEL FACK INTERVALS. FIGHT. It. to								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source						110	. 10. 00	
☐ Septic tank		nes 🔲 Pit privy	Livestock	pens	☐ Insecticide	storage	er (specify below)	
Sewer-lines Cesspool Sewage lagoon			Fuel stora		Abandoned			
			☐ Fertilizer		∐ Oil well/ga	s well	••••••	
Direction from well				from we				
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
U 15 10p	, 201, TC	pay						
11 100 121	- 60 / /-	•						
15 49 BIV	e Shale	<u>-</u>	-					
IIA NO O.	. 11-1	(1) / . / . / . / . / . / . / . / . / . /	/					
49 50 Cr	um bies.	Shale -	WAE'S					
50 80 Sha	1 121		-					
50 40 Sha	VE Blue							
On OI A	11240	36. 10. 1.1		<u>.</u>				
70 11 Crus	noiecs	shalo + Wa	ber					
71 So Gray Shale								
7 CONTRACTOR'S OR'LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
wales water well Contractor's License No								
under the business name of Sup. H.D. Q. Sup. Sup. Sup. Sup. Sup. Sup. Sup. Sup								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								