WATER WELL RECORD		Form W	WC-5	D	Division of Water Resources App. No.			
i 1		Fraction			on Number	Township No.	Range Number	
County: Harvey		se4 Ne4Si	$e^{1/4}$ $e^{1/4}$			T 23 S		
Street/Rural Address of Well Location; if unknown, distance & direction						System (GPS) in		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
					atio <u>n:</u>	<u></u>		
2 WATER WELL OWNER: First Bank					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: First Bank RR#, Street Address, Box #: 12 F E Broaday City State ZIP Code					Collection Method:  GPS unit (Make/Model:)			
City, State, ZIP Code : 12 F 13 Toda Od y					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Newton, to 67/14					Est. Accuracy:			
3 LOCATE WELL		219 12	. ~					
WITH AN "X" IN 4	DEPTH OF CO	OMPLETED WEI	L	<b>,</b>	ft.	/ .		
SECTION BOX: Depth(s) Groundwater Encountered (1)								
WELL 5 STATIC WATER LEVEL &								
Pump test data: Well water wasft. after hours pumping							oing gpm	
W EST. YIELD Well water wasft. after							ping gpm	
W   E   Bore Hole Diameter in. to ft., and in. to ft.							lt.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE ★ Domestic								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected?								
water will districted: 12 Tes 110								
5 TYPE OF CASING USED:  Steel PVC Other								
CASING JOINTS:  Glued  Clamped  Welded  Threaded								
Casing diameter in. to 7 f., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight S.DR.26lbs./ft., Wall thickness or gauge No. 2.14								
Casing neight above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel DevC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATI	ONOPENINGS	ARE:						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
Continuous slot Gauze wrapped Torchedt Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From What is the nearest source of			n	It. to	π.,	From	ft. toft.	
Septic tank			Livestock	nene	☐ Insecticide	storage D Othe	er (specify below)	
☐ Septic tank     ☐ Lateral lines     ☐ Pit privy     ☐ Livestock pens       ☐ Sewef lines     ☐ Cesspool     ☐ Sewage lagoon     ☐ Fuel storage					Abandoned water well			
Watertight sewer lines Seepage pit Feedyard Fertilizer sto					Oil well/gas			
Direction from well	<b>M</b>		Distance	from we	ell <i>/.2</i>			
FROM TO	LITHOLOGIC	LOG	FROM	TO	LITHO. LC	G (cont.) or PLU	GGING INTERVALS	
0 3 TOP.	Soil							
3 35 yello	W Clax							
35 45 San	de War	ter						
45 70 Blue	Shale							
70 71 Possi	e Wart	er						
71 12 Gra	Shale					/		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of								
[INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PREST clearly.</u> Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send of								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								