WATER WELL R		Form WW			ision of Water urces App. No		Well ID	
1 LOCATION OF WA		L: Frac	tion	Sec	tion Number			
County: Har		1	145W45W14N	101/4	29	T 23 S	R / ZE W	
2 WELL OWNED. T.	A NT	T2!	.   C	treet or Ru	al Address w		(if unknown, distance and	
Business: Oden Address: 202 Wind Wairdet City: Newton State: K3 ZIP: 67/14								
Address: 202 Wind Wairdet								
City: Noult	1100000	State KO ZIP	62114					
3 LOCATE WELL				90		<u> </u>		
WITH "X" IN			TED WELL; 🏒				(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater Encountered: 1)							
N			EVEL:		·			
	□ 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1		1	A				
NW NE	A above I	and surface, meas	ured on (mo-day-y	r) 2-13=	/\$ <sup> Gr</sup>	(WAAS enabled? □		
X	Pump test d	o test data: Well water was						
W E	E after hours pumping gpm							
SW SE	Well water was ft.							
	after						☐ Ground Level ☐ TOC	
S	Bore Hole I	Diameter:	in to 35	ft and	Source:  Land Survey GPS Topographic Map			
1 mile	Bote Hote I	7	in. to	. ft.			- 1.0 1. 4.	
7 WELL WATER TO BE USED AS:								
1. Domestic: 5. Dublic Water Supply: well ID								
☐ Household			w many wells?			ole: well ID		
☐ Lawn & Garden	7. Aquifer Recharge: well ID							
Livestock	8. Monitoring: well ID							
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID							
4. Industrial		Recovery	☐ Injection	(Hacilon			senarge mj. or water	
Was a chemical/bacteriological-sample submitted to KDHE?  Yes No If yes, date sample was submitted:								
Water well disinfected?  Ses  No								
8 TYPE OF CASING USED: Steel PVC Other								
Casing diameter	in. to	20 ft Dian	neteri	n to	ft., Diame	eter in. to	ft.	
Casing diameter in. to fi., Diameter ft., Diameter ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. Weight SDR 26. lbs./ft. Wall thickness or gauge No. 214.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel Fiberglass PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.								
Grout Intervals: From								
Nearest source of possible								
☐ Septic Tank	70.00	Lateral Lines	☐ Pit Privy		Livestock Pen		cide Storage	
Sewer Lines		Cess Pool	☐ Sewage Lag		Fuel Storage		oned Water Well	
Direction from well?	F		Distance from wel	19 45		ft		
10 FROM TO		LITHOLOGIC L	OG	FROM			r PLUGGING INTERVALS	
0 22	Clan	+ gandy						
22 90	Blue +	Gray	Shalle.					
90 99 1	Trumt	led Sha	Tox Wa	to do				
	-		· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·	
92 120	Gray	Shale						
		· · · · · · · · · · · · · · · · · · ·					MANAGEMENT TO THE TOTAL	
		·		Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This waster well was Proportioned as Pulmond								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year).								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)								
under the business name of BABHVE DS 11.								
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html